

TITLE 8
BUILDINGS AND BUILDING REGULATIONS^{1,2}

Chapter 8.04 General Provisions

- Sec. 8.04.010 Reserved
- Sec. 8.04.020 Chief building official; appointment and removal
- Sec. 8.04.030 Reserved
- Sec. 8.04.040 Reserved
- Sec. 8.04.050 Same; duties
- Sec. 8.04.060 Same; right of entry
- Sec. 8.04.070 Same; stop orders
- Sec. 8.04.080 Same; electrical inspections

Chapter 8.08 Board of Appeals and Examiners

- Sec. 8.08.010 Created
- Sec. 8.08.020 Composition; term; qualifications
- Sec. 8.08.030 Ex officio members not to have vote
- Sec. 8.08.040 Terms; appointment
- Sec. 8.08.050 Chairman generally
- Sec. 8.08.060 Secretary generally
- Sec. 8.08.070 Meetings and rules of procedure generally
- Sec. 8.08.080 Powers and duties
- Sec. 8.08.090 Parties who may appeal
- Sec. 8.08.100 Time and procedure for perfecting appeal
- Sec. 8.08.110 Fee
- Sec. 8.08.120 Transmittal of record required
- Sec. 8.08.130 Stay of proceedings
- Sec. 8.08.140 Work done after docketing of appeal
- Sec. 8.08.150 Hearings generally
- Sec. 8.08.160 Decisions
- Sec. 8.08.170 Judicial review

Chapter 8.12 Contractors

- Sec. 8.12.010 Compliance with Chapter required
- Sec. 8.12.020 Revocation and suspension
- Sec. 8.12.030 Issuance of permits only to license holders or agents and owner-builders
- Sec. 8.12.040 Compliance with law and supervisory clauses as required
- Sec. 8.12.050 Approval of Building Official required for issuance of certain licenses
- Sec. 8.12.060 Builders' licenses generally
- Sec. 8.12.070 Application for licensees who employ qualified supervisors
- Sec. 8.12.080 Examination fee
- Sec. 8.12.090 Examinations
- Sec. 8.12.100 Insurance
- Sec. 8.12.110 Annual fees
- Sec. 8.12.120 Compliance with division required for issuance of permit
- Sec. 8.12.130 State license required
- Sec. 8.12.140 Registration of electrical and plumbing contractors
- Sec. 8.12.150 Appeals

Chapter 8.15 Carbon Monoxide Detectors

- Sec. 8.15.010 Purpose and Scope
- Sec. 8.15.020 Definitions
- Sec. 8.15.030 Responsibilities
- Sec. 8.15.040 Carbon Monoxide Detector – Installation Requirements

- Sec. 8.15.050 Prohibitions
- Sec. 8.15.060 Enforcement Responsibility
- Sec. 8.15.070 Penalties and Remedies for Violations
- Sec. 8.15.040 Effective Date

Chapter 8.16 International Residential Code

- Sec. 8.16.010 Adoption of the 2003 Edition of the International Residential Code
- Sec. 8.16.020 Amendments

¹ **Cross reference**—Double fee for failure to obtain required licenses, §1.04.110; fire prevention and protection, Title 11; mobile homes and mobile home parks, Title 16, streets and sidewalks and other public property, Title 21; utilities, Title 25, land use regulations, Title 26.

² **State law reference**—Adoption of codes by reference, C.R.S., 31-16-201.

Chapter 8.20 International Building Code

- Sec. 8.20.010 Adoption of the 2003 Edition of the International Building Code
- Sec. 8.20.020 Amendments
- Sec. 8.20.030 Violations and penalties
- Sec. 8.20.040 Reserved

Chapter 8.24 National Electrical Code

- Sec. 8.24.010 Adoption of the National Electrical Code, most current edition and the International Code Council Electrical Code Administration Provisions, most current edition
- Sec. 8.24.020 Amendments

Chapter 8.28 International Fuel Gas Code

- Sec. 8.28.010 Adoption of the 2003 Edition of the International Fuel Gas Code
- Sec. 8.28.020 Amendments

Chapter 8.32 International Existing Building Code

- Sec. 8.32.010 Adoption of the International Existing Building Code, 2003 Edition
- Sec. 8.32.020 Amendments

Chapter 8.36 International Plumbing Code

- Sec. 8.36.010 Adoption of the International Plumbing Code, 2003 Edition
- Sec. 8.36.020 Amendments
- Sec. 8.36.030 Utility assessment or utility connection permits; fees
- Sec. 8.36.040 Tapping charges
- Sec. 8.36.050 Compliance required
- Sec. 8.36.060 Violations and penalties

Chapter 8.40 Water Conservation and Plumbing Advisory Code

- Sec. 8.40.010 Applicability
- Sec. 8.40.020 Installation of high-efficiency fixtures
- Sec. 8.40.030 Landscaping criteria; grass species, irrigation
- Sec. 8.40.040 Raw water supplies (nonpotable)
- Sec. 8.40.050 Soil preparation

Chapter 8.44 International Mechanical Code

- Sec. 8.44.010 Adoption of the 2003 Edition of the International Mechanical Code
- Sec. 8.44.020 Amendments

Chapter 8.46 International Energy Conservation Code

- Sec. 8.46.010 Adoption of the 2009 Edition of the International Energy Conservation Code
- Sec. 8.46.020 Amendments

Chapter 8.48 Abatement of Dangerous Buildings Code

- Sec. 8.48.010 Adoption of the 1997 Edition of the Uniform Code for the Abatement of Dangerous Buildings
- Sec. 8.48.020 Amendments

Chapter 8.50 Flood Damage Prevention

- Sec. 8.50.010 Findings of fact, purpose and methods of reducing flood loss
- Sec. 8.50.020 Definitions
- Sec. 8.50.030 General provisions
- Sec. 8.50.040 Administration
- Sec. 8.50.050 Provisions for flood hazard reduction

Chapter 8.52 Building Conservation Code

- Sec. 8.52.010 Adoption of the 1997 Edition of the Uniform Code for Building Conservation
- Sec. 8.52.020 Amendments

Chapter 8.54 Efficient Building Code

- Deleted by Ordinance #11, 2009, §4

Chapter 8.56 Construction Management Plan

- Sec. 8.56.010 Adoption of Construction Management Plan
- Sec. 8.56.020 Applicability

Chapter 8.04

GENERAL PROVISIONS

Sec. 8.04.010. Reserved.

Editor's note—Former Section 7-1, establishing fire zones within the City, was repealed by Ord. No. 33-1981, § 1. Said section was derived from Code 1962, § 1-3-3; Ord. No. 18-1967; Ord. No. 27-1968; and Ord. No. 11-1969, §§ 1—3. (Code 1971, § 7-1)

Sec. 8.04.020. Chief building official; appointment and removal.

There shall be a Chief Building Official who shall be appointed by and be responsible to the City Manager and shall serve at the pleasure of the City Manager. (Code 1962, § 3-5-1; Ord. No. 4-1969; Code 1971, § 7-2; Ord. No. 53-1994, § 2)

Sec. 8.04.030. Reserved.

Editor's note—Former Section 7-3, authority of the Chief Building Inspector to appoint a deputy and a fire marshal, was repealed by Ord. No. 53-1994, § 1. Said section was derived from Code 1962, § 3-5-1; Ord. No. 4-1969 and Ord. No. 27-1973, § 3. (Code 1971, § 7-3)

Sec. 8.04.040. Reserved.

Editor's note—Former Section 7-4, functions of the Chief Building Inspector, was repealed by Ord. No. 53-1994, § 1. Said Section was derived from Code 1962, § 3-5-1 and Ord. No. 4-1969. (Code 1971, § 7-4)

Sec. 8.04.050. Same; duties.

The Chief Building Official shall be responsible for the enforcement of the Building Code, the Electrical Code, Plumbing Code, Housing Code and all special hazard codes which may now or hereafter be adopted. During or before the last week of January of each year the Chief Building Official shall submit to the City Manager a full report of the work of the position. (Code 1962, § 3-5-1; Ord. No. 4-1969; Code 1971, § 7-5; Ord. No. 53-1994, § 3)

Sec. 8.04.060. Same; right of entry.

Upon presentation of his or her credentials, the Chief Building Inspector or his or her duly authorized representative may enter at any reasonable time any building, structure or premises in the City to perform any duty imposed upon him or her by this Code. (Code 1962, § 3-5-1; Ord. No. 4-1969; Code 1971, § 7-6)

Sec. 8.04.070. Same; stop orders.

Whenever any construction or other work pursuant to development or repair of property is being done contrary to the provisions of the Building Code, Electrical Code, Plumbing Code, Mechanical Code, Housing Code, Fire Code and all other special hazard codes which may now or hereafter be adopted and the Zoning Code of the City, the Chief Building Inspector shall order the work stopped by notice in writing served on any person engaged in the doing or causing of such work to be done. It shall be unlawful for any person to fail or refuse to obey such order and each day one (1) so notified or any other person who can reasonably be expected to be informed of the notice, fails to comply with the order shall constitute a separate offense. (Code 1962, § 3-5-1; Ord. No. 4-1969; Code 1971, § 7-7; Ord. No. 18-1974, § 1)

Sec. 8.04.080. Same; electrical inspections.

Periodically, the Chief Building Inspector shall make a thorough examination of the electrical wiring and appliances installed within the City. Whenever he or she shall find such installations or appliances to be in an unsafe condition, he or she shall order the person owning, using, operating or installing the same in writing

to remedy the unsafe condition within fifteen (15) days or such longer time as may be deemed reasonable by the inspector. It shall be unlawful for any person to fail or refuse to obey such order. The Chief Building Inspector is hereby empowered to order the disconnection of electrical service to any defective installation or appliance if the same shall constitute an immediate hazard to the public health, safety and welfare. (Code 1962, § 3-5-1; Ord. No. 4-1969; Code 1971, § 7-8)

Chapter 8.08

BOARD OF APPEALS AND EXAMINERS¹

¹ **Charter reference**—Authority for Board of Appeals and Examiners, § 8.1.

Sec. 8.08.010. Created.

There is hereby created a Board of Appeals and Examiners for the City. (Code 1962, §§ 2-3-1, 5-3-3; Code 1971, § 7-21)

Sec. 8.08.020. Composition; term; qualifications.

(a) The Board of Appeals and Examiners shall consist of seven (7) regular members and three (3) ex officio members. The three (3) ex officio members shall be employees or officers of the City and the Fire Department, provided, however, if there is a duly appointed and acting fire marshal for the City, he or she shall be designated one (1) such ex officio member.

(b) All of the members of the Board of Appeals and Examiners shall have been qualified electors and residents of the City for at least two (2) years.

(c) The Chief Building Official shall be an ex officio member of the Board of Appeals and Examiners and shall act as secretary of the Board. (Code 1962, §§ 2-3-1, 5-3-3; Code 1971, § 7-22; Ord. No. 27-1973, § 4; Ord. No. 23-1974, § 1; Ord. No. 83-1979, § 1; Ord. No. 53-1994, § 4)

Sec. 8.08.030. Ex officio members not to have vote.

Ex officio members of the Board of Appeals and Examiners shall be without voting power in every case. (Code 1962, §§ 2-3-1, 5-3-3; Code 1971, § 7-23)

Sec. 8.08.040. Terms; appointment.

The regular members of the Board of Appeals and Examiners shall serve for terms of four (4) calendar years. The regular members of the Board of Appeals and Examiners shall be appointed by the City Council. The membership of the Board of Appeals and Examiners will be appointed at alternate intervals. (Code 1962, §§ 2-3-1, 5-3-3; Code 1971, § 7-24)

Sec. 8.08.050. Chairman generally.

The Board of Appeals and Examiners shall select from among the regular voting members a chairman who shall act as presiding officer of the Board and who shall be responsible for the management and operation of the Board. The chairman shall not serve as chairman for more than two (2) consecutive calendar years. (Code 1962, § 5-3-4; Code 1971, § 7-25)

Sec. 8.08.060. Secretary generally.

The secretary of the Board of Appeals and Examiners shall keep and preserve a complete record of all actions of the Board. (Code 1962, § 2-3-2; Code 1971, § 7-26)

Sec. 8.08.070. Meetings and rules of procedure generally.

A quorum for the transaction of business of the Board of Appeals and Examiners shall consist of four (4) of the regular members. The Board of Appeals and Examiners shall adopt bylaws for the conduct of its business not inconsistent with this Chapter and shall keep adequate minutes and records and make such rules of procedure as it deems necessary. (Code 1962, § 5-3-4; Code 1971, § 7-27)

Sec. 8.08.080. Powers and duties.

The Board of Appeals and Examiners shall have the following powers and duties:

(a) To adopt reasonable rules and regulations for conducting its investigations and examinations and to render all decisions in writing to the Building Inspector in duplicate.

(b) To recommend to the City Council such new legislation as it may deem in harmony with its functions and the matters given to it for administration and also to recommend such new legislation affecting the building trade or industry as it shall deem advisable for the protection of the public health, safety and welfare.

(c) To hear and determine all appeals from orders of the Chief Building Official denying, suspending or revoking contractor's licenses, in conformity with this Code.

(d) And to perform such other duties as the City Council may by this Code or any code adopted herein or any amendment thereto, from time to time impose upon it. (Code 1962, § 2-3-3; Code 1971, § 7-28; Ord. No. 53-1994, § 5)

Sec. 8.08.090. Parties who may appeal.

Any person aggrieved by any decision or order of the Building Inspector may appeal such decision or order to the Board of Appeals and Examiners. (Code 1962, § 5-3-5; Code 1971, § 7-36)

Sec. 8.08.100. Time and procedure for perfecting appeal.

Every appeal to the Board of Appeals and Examiners must be perfected within thirty (30) days from the date of the decision or order appealed from. An appeal is perfected by filing notice of appeal with the secretary of the Board of Appeals and Examiners in the office of the Building Inspector upon a form provided by the Board of Appeals and Examiners. Such notice shall contain appropriate reference to the decision or order appealed from, as well as the grounds of the appeal. A duplicate copy of such notice of appeal shall be filed with the chairman of the Board of Appeals and Examiners.

The Board of Appeals and Examiners may extend the time within which an appeal may be taken where grounds for enlargement of time are shown. In cases where the decision or order appealed from pertains to a structure or building which can be demonstrated by the Building Inspector to be unsafe or dangerous, the Building Inspector may apply to the Board of Appeals and Examiners to limit the time for such appeal in order to avoid any hazard to life or property. (Code 1962, § 5-3-5; Code 1971, § 7-37)

Sec. 8.08.110. Fee.

At the time of perfecting an appeal to the Board of Appeals, the appellant shall be required to pay an appeal fee of seventy-five dollars (\$75.00), which fee may be returned to the appellant at the discretion of the Board of Appeals and Examiners if the appellant is substantially sustained. (Code 1962, § 5-3-5; Code 1971, § 7-38; Ord. No. 53-1994, § 6)

Sec. 8.08.120. Transmittal of record required.

Whenever an appeal is taken to the Board of Appeals and Examiners, the Building Inspector shall transmit to the Board all relevant records and data upon which the appeal was taken. (Code 1962, § 5-3-5; Code 1971, § 7-39)

Sec. 8.08.130. Stay of proceedings.

An appeal to the Board of Appeals and Examiners shall stay all proceedings in connection with the decision or order appealed from unless and until the Building Inspector shall have certified to the Board after notice of appeal has been perfected that a stay would cause hazard to life and property. In such case proceedings pursuant to the decision or order of the Building Inspector shall not be stayed except by order of the Board of Appeals and Examiners or by a restraining order issued by a court of record of competent jurisdiction. No such restraining order, whether temporary or otherwise, shall be granted without notice, as prescribed in the Rules of Civil Procedure, to the Building Inspector and without due cause shown. (Code 1962, § 5-3-5; Code 1971, § 7-40)

Sec. 8.08.140. Work done after docketing of appeal.

Any work done contrary to the order of the Building Inspector after docketing of an appeal hereunder, pending determination of such appeal, shall be subject to abatement should the order be affirmed and may not be considered by the Board of Appeals and Examiners as a mitigating or extenuating circumstance. (Code 1962, § 5-3-5; Code 1971, § 7-41)

Sec. 8.08.150. Hearings generally.

The Board of Appeals and Examiners shall fix a reasonable time for the hearing of an appeal, giving notice in writing to the parties in interest and shall reach its decision within a reasonable time thereafter. Parties may appear before the Board of Appeals and Examiners in person, by agent or by attorney. The Board of Appeals and Examiners may require additional data and tests necessary for adequate consideration of the appeal. (Code 1962, § 5-3-5; Code 1971, § 7-42)

Sec. 8.08.160. Decisions.

The Board of Appeals and Examiners shall have the power in all cases appealed to it from decisions or orders of the Building Inspector to reverse or affirm or modify in whole or in part, the decision or order appealed from. No decision of the Board of Appeals and Examiners shall vary or be inconsistent with the terms, provisions and requirements of this Chapter. (Code 1962, § 5-3-5; Code 1971, § 7-43)

Sec. 8.08.170. Judicial review.

Within thirty (30) days after the entry of any decision or order of the Board of Appeals and Examiners, any person who is aggrieved by such decision or order may seek to review the same in a court of record of competent jurisdiction. Review shall not be extended further than to determine whether the Board of Appeals

and Examiners has exceeded its jurisdiction or abused its discretion. (Ord. No. 23-1970, § 1; Code 1971, § 7-44)

Chapter 8.12
CONTRACTORS

Editor's note—Ord. No. 55-1999, § 1, repealed former Ch. 8.12, pertaining to Contractors and enacted a new Ch. 8.12 as herein set out. Former Ch. 8.12 was derived from Code 1962 §§ 5-3-1, 5-3-2, 5-3-8—5-3-14, 5-3-16, 5-3-17, Code 1971 §§ 7-60—7-68, 7-77—7-108 and Ord. Nos. 23-1970, 37-1977, 44-1978, 3-1990, 53-1994, 53-1995, 43-1996 and 54-1999.

Sec. 8.12.010. Compliance with Chapter required.

It shall be unlawful for any person to violate any provisions of this Chapter or to violate or refuse to obey any order issued by the Chief Building Official or neglect to pay any fee assessed by the Chief Building Official. (Ord. No. 55-1999, § 1 [part])

Sec. 8.12.020. Revocation and suspension.

(a) The Chief Building Official shall have the authority to issue an order to show cause why the license issued hereunder to any licensee should not be suspended or revoked. Any such order shall grant the licensee ten (10) days in which to show cause and shall inform the licensee of the basis for issuance of the order.

(b) The following acts or omissions of any person or firm holding a license under this Chapter or any applicant for a license under this Chapter shall constitute grounds for which the Chief Building Official may suspend, revoke or refuse renewal of any license or deny an application for said license:

(1) Causing or allowing to exist conditions hazardous to the health, safety and welfare of workmen and the public;

(2) Disregard and willful violation of this Code, including but not limited to the Land Use Code, the Uniform Building Code and related Uniform Codes as adopted and the Colorado Revised Statutes; relating to buildings or construction or contractor licensing;

(3) Failure to comply with any lawful order of the Building Official or his or her designated representative;

(4) Misrepresentation or falsification of a material fact in an application to obtain a license or permit under this and other applicable codes;

(5) Conviction of a misdemeanor or felony relating to the contractor's performance of construction work or the contractor's conduct of his or her construction business;

(6) Failure to obtain a building or other applicable permit for any work as required by Code, including but not limited to the Land Use Code and the Uniform Building Code and Uniform Codes as adopted;

(7) Failure to ensure that the person with whom a subcontractor contracts has obtained valid building or other applicable permit for any work required by this Code;

(8) Contracting for or performing construction work that requires a particular license without holding a valid license for that work;

(9) Use of a contractor's license to obtain building permits for another person's project for which the contractor will not be responsible;

(10) Disregard or deviation from the plans and specifications approved by the Building Official for which the permit was issued without the approval of the building official;

(11) Failure to ensure that any subcontractor hired by the contractor is licensed in compliance with the regulations set forth in this Section;

(12) Failure to appear after proper notice, as set forth in this Section, at a building official hearing;

(13) Failure to obtain and maintain a current County Use Tax license through the county finance office. (Ord. No. 55-1999, § 1 [part])

Sec. 8.12.030. Issuance of permits only to license holders or agents and owner-builders.

(a) On any work requiring a building permit(s), the permit(s) shall be issued only to licensed contractors, authorized representatives of licensed contractors and owner-builders.

(b) For purposes of this Chapter, an "owner-builder" is an individual personally engaged in the construction (new or remodel) of a single-family residence or accessory, building for his or her own use. The following requirements shall apply to owner-builders seeking permits for construction:

(1) The owner-builder shall not be issued more than one (1) building permit for new home construction in any two year period and not more than one building permit at a time;

(2) The owner-builder has read applicable regulations and provisions of this Chapter and applicable state law and affirmed in writing that the proposed project will comply with all such requirements;

(3) It is the responsibility of the owner-builder to see that all paid personnel shall be covered by workman's compensation insurance as required by state law;

(4) The owner-builder must be present at the work site during all inspections and conferences with the building division, unless prior arrangements have been made with the building officials.

In the event that any of the above listed requirements are not met at any time during the course of a permitted project, the Chief Building Official may suspend or revoke the owner-builder's permit. In the case of a suspended building permit the owner-builder shall have a reasonable time to correct the problem. If not corrected within the time period, the permit may be revoked. In the case of either a suspended or revoked building permit, the owner-builder may ask for a review at the next scheduled Building Code Board of Appeals meeting. (Ord. No. 55-1999, § 1 [part])

Sec. 8.12.040. Compliance with law and supervisory clauses as required.

All licenses enumerated in this division shall be issued by the chief building official in accordance with the provisions of this Code and shall be subject to the supervisory clauses contained in this division. The Chief Building Official is authorized to administer tests for the licenses and owner-builders as required by this division, as per the standards and regulations promulgated by the Board of Examiners for Standardized Testing. The Chief Building Official is further authorized to recognize, for purposes of contractor licensing and owner builder permits, results of tests administered by other jurisdictions. (Ord. No. 55-1999, § 1 [part])

Sec. 8.12.050. Approval of Building Official required for issuance of certain licenses.

(a) No person may be issued a license to engage in the following listed trades, jobs or contractual service as hereinafter enumerated unless approved by the Chief Building Official.

- (1) General Contractor (Unlimited);
- (2) General Contractor (Commercial);
- (3) General Contractor (Light Commercial);
- (4) General Contractor (Home Builder);
- (5) Specialty;

(b) All persons having valid licenses with the Community Development Department to engage in the aforementioned trades, jobs or contractual services, shall not be required to be examined by the Chief Building Official. All persons must hold a license from the State, if required by the State, before engaging in any trade, job or contractual services within the County. (Ord. No. 55-1999, § 1 [part])

Sec. 8.12.060. Builders' licenses generally.

(a) General Contractor (Unlimited). This classification qualifies the holder to contract for the construction, alteration or repair of any structure of any type of construction and occupancy group as permitted by the International Building Code.

(b) General Contractor (Commercial). This classification qualifies the holder to contract for the construction of any structure of any type of construction and occupancy group as permitted by the International Building Code, with the exception of Type I and Type II buildings. Also this classification qualifies the holder for the alteration or repair of any structure of any type of construction and occupancy group permitted by the International Building Code.

(c) General Contractor (Light Commercial). This classification qualifies the holder to contract for the construction, alteration or repair of Groups A-2, A-3, B, E, M, R, S-1, S-2 and U Occupancies with the exception of Type I and Type II buildings as permitted by the International Building Code.

(d) General Contractor (Home Builder). This classification qualifies the holder for the construction, alteration or repair of buildings regulated by the International Residential Code.

(e) Specialty. This classification qualifies the holder to contract for work involving specialty trades regulated by the International Codes, including the following:

- (1) Alteration and maintenance;
- (2) Drywall;
- (3) Fire alarm system installation;
- (4) Fire sprinkler system installation;
- (5) Historic specialty contractor;
- (6) Insulation;
- (7) Mechanical contractor;
- (8) Roofing;
- (9) Solid fuel and gas appliance;

(10) Temporary contractor.

(f) For the purposes of this Section, a contractor or subcontractor hired specifically for one (1) job may be issued a temporary contractor's license. It shall only be valid for six (6) months. The applicant for a temporary contractor's license shall only be required to complete an application, no testing shall be required. Only one (1) temporary contractor's license can be applied for within one (1) year. (Ord. No. 5-19995, § 1 [part]; Ord. No. 59-2003, § 3)

Sec. 8.12.070. Application for licensees who employ qualified supervisors.

Each individual who acts as a supervisor on any work for which a permit is required must be tested in accordance with the provisions of this Chapter for the work proposed to be done. (Ord. No. 55-1999, § 1 [part])

Sec. 8.12.080. Examination fee.

Applicants for contractor's licenses shall be required to pay a fee as established by Section 2.12.100 of this Code. (Ord. No. 55, § 1 [part]; Ord. No. 59-2003, § 3)

Sec. 8.12.090. Examinations.

(a) The Chief Building Official, before issuing any license required by this Chapter, shall require the applicant to take such examinations, written or oral, as the Chief Building Official may determine to be appropriate. In lieu of such examination, the Chief Building Official may recognize and accept the results of examinations administered by other governmental jurisdictions with which the County is a party to an intergovernmental agreement regarding recognition of such test results.

(b) Examinations shall be given at reasonable intervals. (Ord. No. 55-1999, § 1 [part])

Sec. 8.12.100. Insurance.

Every contractor granted a license under the terms of this Chapter shall be required to maintain at all times employee liability and public liability insurance with minimum limits of not less than one-hundred-thousand dollars (\$100,000.00) for one (1) person and three-hundred-thousand dollars (\$300,000.00) for any one (1) accident and property damage insurance with a minimum limit of not less than one-hundred-thousand dollars (\$100,000.00) for any one (1) accident. (Ord. No. 5-19995, § 1 [part])

Sec. 8.12.110. Annual fees.

Holders of contractors' licenses shall be required to pay a fee as established by this Code, Section 2.12.100. (Ord. No. 55-1999, § 1 [part]; Ord. No. 47-2002, § 11; Ord. No. 59-2003, § 3)

Sec. 8.12.120. Compliance with division required for issuance of permit.

(a) No permit shall be issued to any contractor who has not first obtained a license as required in this Chapter or who is delinquent in the payment of annual license fees or use taxes or whose license has been suspended or revoked by action of the Chief Building Official.

(b) A licensed contractor may apply for and be issued permits to only such work as he or she is entitled to do under their respective licenses.

(c) Any application for a permit or license filed in derogation of this Section shall be deemed to have been filed with fraudulent intent and shall be a nullity. Any permit or license issued on the basis of such fraudulent application shall be null and void. (Ord. No. 55-1999, § 1 [part])

Sec. 8.12.130. State license required.

All persons performing plumbing or electrical work of any type regulated or licensed by the State must hold valid State licenses before engaging in any trade, job or contractual service within the unincorporated county. (Ord. No. 55-1999, § 1 [part])

Sec. 8.12.140. Registration of electrical and plumbing contractors.

As a condition of performing services within the county, electrical and plumbing contractors shall register with the Chief Building Official. Applicants for registration must demonstrate that they hold a valid contractor's license issued by the State. Registrations made under this Section shall terminate on the last day of the year. (Ord. No. 5-19995, § 1 [part])

Sec. 8.12.150. Appeals.

Appeals of any final decision of the Building Official may be made pursuant to the bylaws of the Building Code Board of Appeals. (Ord. No. 55-1999, § 1 [part])

Chapter 8.15 Carbon Monoxide Detectors

Section 8.15.010 Purpose and Scope.

This chapter is enacted for the purpose of protecting the health and safety of the residents of the City, its visitors and employees, by requiring operable carbon monoxide detectors in existing and new residential occupancies thereby hopefully reducing the number of injuries and fatalities resulting from carbon monoxide (CO) poisoning.

The provisions of this ordinance shall apply to all new residential construction containing a sleeping unit, additions to residential buildings containing a sleeping unit, remodels of residential buildings containing a sleeping unit for which a building permit is required and to the replacement or addition of a fuel burning appliance for which a permit is required.

Section 8.15.020 Definitions.

The following terms as used in this chapter shall have the indicated meaning:

Building Codes: The building, fire and other technical codes adopted pursuant to Chapter 8 of this Code.

CO Detector: A device sensing invisible particles of carbon monoxide that is either battery powered or AC powered with battery back up that has been installed in accordance with its manufacturer's recommendations, which, when activated, will provide some form of visual or audible detector, and which has been either UL (Underwriters Laboratories Inc.) listed or CSA (Canadian Standards Association) approved.

Dwelling: Any building or portion thereof containing one or more dwelling units occupied as, or deigned or intended for occupancy as, a residence by one or more families.

Dwelling Unit: Any building or portion thereof designed, occupied, or intended as a residence, with complete and independent living facilities for one or more persons including permanent provisions for living, sleeping, eating, cooking and sanitation.

Residential Occupancies:

A. Any of the residential uses as such terms are defined and described in International Residential Code and International Building Code in Chapter 8.16 and 8.20 of this Code.

B. Any residential occupancy or any institutional occupancy with sleeping units as such terms are defined in the building codes.

C. Any other occupancy used for sleeping purposes.

Separate Sleeping Area: Bedrooms or sleeping rooms separated by other use areas, such as a kitchen or living room, but not including bathrooms.

Sleeping Unit: A room or space in which people sleep, which can also include permanent provisions for living, eating, and either sanitation or kitchen facilities but not both.

Section 8.15.030 Responsibilities.

A. All existing residential occupancies and all residential occupancies to be constructed after the effective date of this ordinance shall be equipped with CO detectors in accordance with the requirements of this Chapter,

B. The owner of a residential occupancy shall be responsible to install and maintain required CO detector(s) in such residential occupancy in accordance with the requirements of this Chapter. The owner of a residential occupancy shall test and replace all batteries necessary for operation of a required CO detector, except for dwellings or dwelling units where the tenant has been notified of such responsibility. The owner of a residential occupancy shall immediately repair or replace any defective CO detector required under the provision of this Chapter.

C. The owner of a dwelling or dwelling unit that is rented or leased to a tenant, shall immediately, upon notice from the tenant, repair or replace a defective CO detector required to be located within such dwelling or dwelling unit, except that the owner need not repair or replace any CO detector where the defective condition was caused by the tenant, the tenant's family, or the tenant's guests or invitees. The owner shall install new batteries in any required CO detector at the beginning of a new lease or tenancy. The owner shall furnish to the tenant at the beginning of a new lease or new tenancy written notice of the owner's responsibility to install and maintain a required CO detector on the premises. The tenant shall inform the owner of any CO detector malfunction, test and replace batteries necessary for operation and repair or replace a defective CO detector in the event that the defective condition was caused by the tenant, the tenant's family, or the tenant's guests or invitees, by inappropriate use or misuse of the dwelling or dwelling unit during the rental term or any extension of it.

D. A tenant in possession of a dwelling or dwelling unit shall be responsible for testing and replacing any batteries necessary for operation of a required CO detector, informing the owner of a CO detector malfunction and repairing or replacing a defective CO detector in the event that the defective condition was caused by the tenant, the tenant's family, or the tenant's guests or invitees, by inappropriate use or misuse of the dwelling or dwelling unit during the rental term or any extension of it.

8.15.040 Carbon Monoxide Detector –Installation Requirements.

A. Carbon Monoxide detector(s) shall be centrally located outside of each separate sleeping area in the immediate vicinity of the bedrooms or sleeping rooms. Residential occupancies shall be considered to be in compliance with this requirement if CO detector(s) are installed within a dwelling unit such that an audible signal not less than 70 decibels reaches each sleeping area. CO detectors shall be hard wired in new construction. In interior alterations, repairs or additions requiring a permit, or when one or more sleeping rooms are added or created in existing dwellings, detectors shall be hard wired where the alterations or repairs result in the removal of interior wall or ceiling finishes unless there is an attic, crawlspace or basement available which would provide access for hard wiring.

B. Carbon monoxide detectors shall be installed within each sleeping area containing any fuel burning appliance such as a gas log, decorative gas fireplace appliances, gas clothes dryer or wood burning appliance, etc.

C. It is the intention of this Chapter to implement the requirements of the existing building codes, including NFPA #720, 2009 edition approved as an American October 10, 2008, to the greatest extent practicable for existing residential occupancies. The building official or the fire official may approve alternative locations or methods for the installation of CO detectors, if the result would meet the spirit and intent of the building codes and NFPA #720. The building official, in coordination with the fire official, may also adopt written guidelines illustrating or describing required locations of CO detectors, and any approved

alternative locations or methods for bringing residential occupancies into compliance with the requirements of this chapter.

D. A CO detector is deemed approved for purposes of this Chapter if it complies with all applicable state and federal regulations, and bears the label of a nationally recognized standard testing laboratory and meets the revised standard of at least UL 2034 and subsequent revision or its equivalent. The CO detector may be a combination smoke/gas/CO device.

E. Each CO detector shall be mounted in accordance with the manufacturer's instructions, though a ceiling mount is preferred. CO detector(s) may not be mounted in areas of low air movement (dead air spaces),

F. If a CO detector is required to be installed in a common hallway and found to be tampered with it shall be replaced with a hard-wired device (missing or inoperable batteries shall not constitute tampering). Any CO detector found to be missing a battery shall be replaced by the owner with a tamper proof CO detector with a sealed battery.

G. In new construction, the required CO detector shall receive their primary power from the building wiring when such wiring is served from a commercial source, and when primary power is interrupted, shall receive power from a battery. Wiring shall be permanent and without a disconnecting switch other than those required for overcurrent protection. CO detectors shall be permitted to be battery operated when installed in buildings without commercial power or in buildings that undergo alterations, repairs or additions as stipulated in Section 8.15.040 A.

Section 8.15.050 Prohibitions.

A. It shall be unlawful for any owner of a residential occupancy to fail to install and maintain an operable CO detector when required under the provisions of this chapter.

B. It shall be unlawful for any person to remove or render ineffective a CO detector installed to satisfy the requirements of this ordinance. This provision shall not apply to a building owner, manager or his/her agent in the normal procedure of repairing or replacing a CO detector.

C. No person shall, without privilege to do so, knowingly move, deface, damage, destroy or otherwise improperly tamper with a CO detector required to be installed pursuant to the provisions of this Chapter so as to destroy or diminish its effectiveness or availability for its intended purpose.

Section 8.15.060 Enforcement Responsibility.

The building official and the fire code official, or their designees, shall monitor compliance with this Chapter and may perform enforcement inspections upon, but not limited to, the following instances: when notified of a change in occupancy; when reviewing or inspecting the construction, repair, rehabilitation or renovation of the interior of a residential occupancy pursuant to a required permit, when inspecting at the request of the building owner; when inspecting for any other purpose under the provisions of this code; or when on the premises for any lawful purpose, including but not limited to such purposes as responding to a fire or other request for fire department services.

Section 8.15.070 Penalties and Remedies for Violations.

A. Infraction: A violation of the provisions of this Chapter is an infraction and upon conviction shall be punishable as set forth in Chapter 1.04 of this Code.

B. Other Remedies: This Chapter may also be enforced by injunction, mandamus, judicial abatement or any other appropriate action in law or equity.

C. Daily Violations: Each day that any violation of this Chapter continues shall be considered a separate offense for purposes of the penalties and remedies available to the city.

8.15.080 Effective Date: All owners of existing residential occupancies shall come into compliance with the requirements of this Chapter on or before March 2, 2009.

Chapter 8.16
INTERNATIONAL RESIDENTIAL CODE

Sec. 8.16.010. Adoption of the 2003 Edition of the International Residential Code.

Pursuant to the powers and authority conferred by the laws of the State and the Charter of the City, there is hereby adopted and incorporated herein by reference as if fully set forth those regulations contained in the International Residential Code, 2003 Edition, including Appendix E, F, H, J and K as published by the International Code Council, 4051 West Flossmoor Road, Country Club Hills, Illinois, 60478-5795, except as otherwise provided by amendment or deletion as contained in Section 8.16.020 of this Chapter. At least one (1) copy of the International Residential Code shall be available for inspection during regular business hours. (Ord. No. 55-1999, § 2 [part]; Ord. No. 59-2003, § 2)

Sec. 8.16.020. Amendments.

The International Residential Code, 2003 Edition, as adopted by the City at Section 8.16.010, is hereby amended to read as follows:

(a) Section R101.1, Insert: "City of Aspen" for [NAME OF JURISDICTION].

(b) Section R102.7. "Existing Structures" is hereby amended to read as follows:

"The legal occupancy of any structure existing on the date of adoption of this code shall be permitted to continue without change, except as is specifically covered in this code, the *International Existing Building Code* or as is deemed necessary by the building official for the general safety and welfare of the occupants and the public."

(c) Section R103 DEPARTMENT OF BUILDING SAFETY is hereby amended to read as follows:

"SECTION 103 DIVISION OF BUILDING SAFETY

"Section 103.1 The Division of Building Safety is hereby created and the official in charge thereof shall be known as the Building Official."

(d) Section R104.6 "Right of Entry" is hereby amended to read as follows:

[The Section shall remain as is except that the last sentence shall read:] "If entry is refused or no person having charge or control over the building or premises can be located, the Building Official shall obtain a warrant from the Municipal Court authorizing the Building Official to make entry onto the building or premises."

(e) Section R104.8 "Liability" is hereby amended to read as follows:

"The Building Official or his or her authorized representative charged with the enforcement of this Code, acting in good faith and without malice in the discharge of his or her duties, shall not thereby render himself or herself personally liable for any damage that may accrue to persons or property as a result of any act or omission in the discharge of his or her duties.

"This code shall not be construed to relieve or lessen the responsibility of any person owning, operating or controlling any building or structure for any damage to persons or property caused by defects on or in such premises, nor shall the Code Enforcement Agency, any employee thereof or City be held as assuming any such responsibility or liability by reason of the adoption of this code

or by the exercise of inspections authorized and carried out hereunder or by the issuance of any permits or certificates issued pursuant to this code."

(f) Section R105.3.2 "Time limitation of application" is hereby amended to read as follows:

"An application for any proposed work shall be deemed to have been abandoned six (6) months after the date of filing, unless such application has been pursued in good faith or a permit has been issued. The Building Official is authorized to grant an extension not exceeding six (6) months. The extension shall be requested in writing and justifiable cause demonstrated."

(g) Section R105.5 "Expiration" is hereby amended to read as follows:

"Every permit issued shall become invalid unless the work on the site authorized by such permit is commenced within twelve (12) months after its issuance, or if the work authorized on the site by such permit is suspended or abandoned for a period of one hundred eighty (180) days after the time the work is commenced. The Building Official is not authorized to grant an extension."

(h) Section R106.3.3 "Phased approval" is hereby amended to read as follows:

"The Building Official is authorized to issue a permit for the construction of the foundation of a building only after the documents for the whole building or structure have been submitted and approved by the appropriate referral agencies. The holder of a foundation permit shall proceed at the holder's own risk without assurance that a permit for the entire structure will be granted."

(i) Section R108.1 "Payment of fees" is hereby amended to read as follows:

"A permit shall not be valid until the fees prescribed by Section 2.12.100 of this Code are paid in full."

(j) Section R109.3.1 "Other inspections" is hereby amended and to read as follows:

[The Section shall remain as is except that the last sentence shall read:] "Other inspections shall include but not be limited to line-grade verification and snow melt insulation and controls."

(k) Section R109.3.10 "Final inspection" is hereby amended to read as follows:

"The final inspection shall be made after all work required by the building permit is completed and all applicable referral agencies have accepted the work to comply with conditions of approval and any specific regulations."

(l) "Section R109.5 Reinspections" is hereby added to read as follows:

"A reinspection fee may be assessed when an inspection is called for and the work is not complete, required corrections are not made, field copy of approved plans is not readily available to the inspector, work is not accessible or for deviating from approved plans."

(m) Section 110.4 "Temporary Occupancy" is hereby deleted and replaced to read as follows:

"Section R110.4 Conditional occupancy. The Building Official is authorized to issue a conditional certificate of occupancy before the completion of the entire work covered by the permit or conditions of approval, provided that portions of the building shall be occupied safely. The conditional certificate of occupancy shall clearly state the portions of the building that may be occupied, the conditions that must be met and a time period during which the conditional certificate of occupancy is valid."

(n) Section R112.1 Board of Appeals, General is hereby amended to read as follows:

[The Section shall remain as is except that the last sentence shall read:] "The Building Code Board of Appeals shall possess that authority as provided in this Code, Chapter 8.08."

(o) R202 "Definitions. Habitable Space" is hereby amended as follows. The definition shall remain as written, with this sentence appended to the end: "Unfinished basements are considered habitable space."

(p) Table R302.2(1) shall read as follows:

"Ground snow load	
Wind Speed	90/B
Seismic design category	C
Weathering	Severe
Frost line depth	36"
Termite	None to slight
Decay	None to slight
Winter design temp	-16
Ice shield underlayment required	Yes
Flood hazards	
Air Freezing index	2000
Mean annual temperature	40"

(q) Section R303.6 Stairway illumination is hereby amended to define "exterior stairs," as applies to this Section, as "those stairs outside the perimeter walls of the building which serve any exits from the building or serve as access to the public right-of-way. Exterior stairs used for landscape purposes are not subject to the requirements of this Section except as required above."

(r) Section R317.2.2 is amended by changing the reference to minimum roof covering required in the exception from Class C to Class A.

(s) Add Section R324 Automatic fire sprinkler systems to read as follows:

"Automatic fire sprinkler systems are required in all structures five thousand (5,000) square feet or greater as defined by fire area (IBC Section 702.1) and in structures two (2) stories or more in height and containing four (4) or more dwelling units. Fire separations shall not constitute separate buildings for this purpose."

(t) Delete Section R408.2 #6 and replace with:

"Noncombustible corrosion-resistant mesh with openings not to exceed 1/8 inch."

(u) Section R806.1 is amended by changing the second sentence to read as follows:

"Attic ventilation openings, soffit vents and vents through roofs shall not exceed 144 square inches each. Such vents shall be covered with noncombustible corrosion-resistant mesh with openings not to exceed 1/4 inch."

(v) Section R902.1 is amended by changing the second sentence to read as follows:

"The minimum roof coverings installed shall be Class B and Class A in the HIGH areas identified by the City of Aspen Wildfire Hazard Assessment Map."

(w) Add Section R903.5.1 Snow shed design to read as follows.

"Roofs shall be designed so that they do not shed ice and snow onto potentially occupied areas such as a walkway, stairway, alley, deck, pedestrian and vehicular exit from buildings or areas where there is potential for personal injury or property damage and areas directly above or in front of gas utility or electric utility meters.

"Exception: Mechanical barriers installed to roof framing members or solid blocking secured to framing in accordance to manufacturers instructions."

(x) Section R905.2.7.1 Ice protection is hereby amended to read as follows:

"An ice dam barrier that consists of at least two (2) layers of underlayment cemented together or of a self-adhering polymer modified bitumen sheet shall be used in lieu of normal underlayment and shall extend from the roof eave edge at least six feet inside the exterior wall line as measured along the roof surface, twenty-four (24) inches from the centerline of the valley and up twenty-four (24) inches on the vertical wall at a roof and wall juncture."

(y) Add Section R1003.1.1 Fireplaces allowed, to read as follows.

"The number of fireplaces allowed shall be determined by this Code, Section 13.08.070."

(z) Delete Chapter 11 in its entirety and replace to read as follows:

"Chapter 11 Energy Efficiency. The provisions of the 2009 International Energy Conservation Code as adopted and amended as Section 8.46 shall apply to all matters governing the design and construction of buildings for energy efficiency."

(aa) Section G2425.8 item #7 is hereby amended to read as follows:

"Unvented room heaters are not allowed."

(bb) Section G2445 Unvented room heaters is hereby amended to read as follows in its entirety:

"G2445.1 General. Unvented room heaters are not allowed."

(cc) Section P3103.1 Roof extension shall read as follows:

"All open vent pipes which extend through a roof shall be terminated at least twelve (12) inches above the roof or six (6) inches above the anticipated snow accumulation, except where a roof is to be used for any purpose other than weather protection, the vent extensions shall be run at least seven (7) feet above the roof."

(Ord. No. 59-2003, §2; Ord. No. 7, 2007, §2; Ord. No. 11-2009, §2))

Chapter 8.20

INTERNATIONAL BUILDING CODE

Editor's note—Ord. No. 55-1999, §2, repealed former Ch. 8.20, pertaining to the Building Code and enacted a new Ch. 8.20 as herein set out. Former Ch. 8.20 was derived from Code 1962 §§4-1-1—4-1-4, Code 1971 §§7-140—7-143 and Ord. Nos. 22-1960, 4-1965, 32-1967, 36-1968, 22-1969, 7-1971, 9-1974, 15-1974, 70-1975, 13-1976, 21-1976, 27-1976, 45-1976, 63-1976, 12-1977, 12-1978, 1-1979, 52-1979, 17-1981, 33-1981, 1-1983, 9-1983, 20-1984, 62-1985, 7-1987, 32-1987, 10-1988, 59-1990, 79-1990, 44-1991, 53-1994, 68-1994, 53-1995, 54-1995, 3-1996, 12-1996, 43-1996 and 15-1997.

Sec. 8.20.010. Adoption of the 2003 Edition of the International Building Code.

Pursuant to the powers and authority conferred by the laws of the State and the Charter of the City, there is hereby adopted and incorporated herein by reference as if fully set forth those regulations contained in the International Building Code, 2003 Edition, including Appendix C, E, I and J published by the International Code Council, 4051 West Flossmoor Road, Country Club Hills, Illinois, 60478-5795, except as otherwise provided by amendment or deletion as contained in Section 8.20.020 of this Chapter. At least one (1) copy of the International Building Code shall be available for inspection during regular business hours. (Ord. No. 55-1999, §2 [part]; Ord. No. 59-2003, §1)

Sec. 8.20.020. Amendments.

The International Building Code, 2003 Edition, as adopted by the City at Section 8.20.010, is hereby amended to read as follows:

(a) Section 101.1 Insert: "City of Aspen" for [NAME OF JURISDICTION].

(b) Section 101.4 "Referenced Codes" is hereby amended to read as follows:

"The other codes listed in Sections 101.4.1 through 101.4.5 and referenced elsewhere in this Code shall be considered part of the requirements of this code to the prescribed extent of each reference."

(c) Section 101.4.1 "Electrical" is hereby amended to read as follows:

"The provisions of the most current version of the National Electric Code shall apply to the installation of electrical systems, including alterations, repairs, replacement, equipment, appliances, fixtures, fittings and appurtenances thereto."

(d) Section 101.4.5 "Property maintenance" is hereby deleted in its entirety.

(e) Section 104.6 "Fire prevention" is hereby deleted in its entirety.

(f) Section 101.4.7 "Energy" is hereby amended to read as follows:

"Section 101.4.7 Energy. The provisions of the 2009 International Energy Conservation Code as adopted and amended in Section 8.46 shall apply to all matters governing the design and construction of buildings for energy efficiency."

(g) Section 102.5 "Existing structures" is hereby amended to read as follows:

"The legal occupancy of any structure existing on the date of adoption of this Code shall be permitted to continue without change, except as is specifically covered in this Code, the *International Existing Building Code* or as is deemed necessary by the building official for the general safety and welfare of the occupants and the public."

(h) SECTION 103 DEPARTMENT OF BUILDING SAFETY is hereby amended to read as follows:

"SECTION 103 DIVISION OF BUILDING SAFETY

"Section 103.1 The Division of Building Safety is hereby created and the official in charge thereof shall be known as the Building Official."

Section 103.3 "Deputies" is hereby amended and to read as follows:

[The Section shall remain as is except that the last sentence shall read:] "For the maintenance of existing buildings, see the *International Existing Building Code*."

(i) Section 104.6 "Right of entry" is hereby amended to read as follows:

[The Section shall remain as is except that the last sentence shall read:] "If entry is refused or no person having charge or control over the building or premises can be located, the Building Official shall obtain a warrant from the City Court authorizing the Building Official to make entry onto the building or premises."

(j) Section 104.8 "Liability" is hereby amended to read as follows:

"The Building Official or his or her authorized representative charged with the enforcement of this code, acting in good faith and without malice in the discharge of his or her duties, shall not thereby render himself or herself personally liable for any damage that may accrue to persons or property as a result of any act or omission in the discharge of his or her duties.

"This code shall not be construed to relieve or lessen the responsibility of any person owning, operating or controlling any building or structure for any damage to persons or property caused by defects on or in such premises, nor shall the Code Enforcement Agency, any employee thereof or City be held as assuming any such responsibility or liability by reason of the adoption of this code or by the exercise of inspections authorized and carried out hereunder or by the issuance of any permits or certificates issued pursuant to this Code."

(k) Section 105.3.2 "Time limitation of application" is hereby amended to read as follows:

"An application for any proposed work shall be deemed to have been abandoned six (6) months after the date of filing, unless such application has been pursued in good faith or a permit has been issued. The Building Official is authorized to grant an extension not exceeding six (6) months. The extension shall be requested in writing and justifiable cause demonstrated."

(l) Section 105.5 "Expiration" is hereby amended to read as follows:

"Every permit issued shall become invalid unless the work on the site authorized by such permit is commenced within twelve (12) months after its issuance, or if the work authorized on the site by such permit is suspended or abandoned for a period of one hundred eighty (180) days after the time the work is commenced. The Building Official is not authorized to grant an extension."

(m) Section 106.3.3 "Phased approval" is hereby amended to read as follows:

"The Building Official is authorized to issue a permit for the construction of the foundation of a building only after the documents for the whole building or structure have been submitted and approved by the appropriate referral agencies. The holder of a foundation permit shall proceed at the holder's own risk without assurance that a permit for the entire structure will be granted."

(n) Section 108.1 "Payment of fees" is hereby amended to read as follows:

"A permit shall not be valid until the fees prescribed by Section 2.12.100 of this Code are paid in full."

(o) Section 109.3.1 "Other inspections" is hereby amended to read as follows:

[The Section shall remain as is except that the last sentence shall read:] "Other inspections shall include but not be limited to line-grade verification and snow melt insulation and controls."

(p) Section 109.3.10 "Final inspection" is hereby amended to read as follows:

"The final inspection shall be made after all work required by the Building Permit is completed and all applicable referral agencies have accepted the work to comply with conditions of approval and any specific regulations."

(q) Add Section 109.7 Reinspections, to read as follows.

"A reinspection fee may be assessed when an inspection is called for and the work is not complete, required corrections are not made, field copy of approved plans is not readily available to the inspector, work is not accessible or for deviating from approved plans."

(r) Section 110.3 "Temporary Occupancy" is hereby deleted and replaced to read as follows:

"Section 110.3 Conditional occupancy. The Building Official is authorized to issue a conditional certificate of occupancy before the completion of the entire work covered by the permit or conditions of approval, provided that portions of the building shall be occupied safely. The conditional certificate of occupancy shall clearly state the portions of the building that may be occupied, the conditions that must be met and a time period during which the conditional certificate of occupancy is valid."

(s) Section 112.1 "Board of Appeals, General" is hereby amended to read as follows:

[The Section shall remain as is except that the last sentence shall read:] "The Building Code Board of Appeals shall possess that authority as provided in this Code, Chapter 8.08."

(t) Section 406.4.2 "Ventilation" is hereby amended to read as follows:

"A mechanical ventilation system shall be provided in accordance with the *International Mechanical Code* or an alternate design appropriate to cold climate conditions and meeting acceptable CO levels may be proposed as an alternate design method.

"NOTE: Unless specifically addressed below, any sections designated by [F] may be amended by the Fire Marshal in this Code, Chapter 11.04."

(u) Section [F] 903.2 "Where required" is hereby amended to read as follows:

[The Section shall remain as is except that the last sentence shall read:] "...in this Section and in all structures 5,000 square feet or greater as defined by fire area (Section 702.1) and R occupancy structures with four (4) or more dwelling units and two (2) or more stories high."

(v) Section [F] 907.2.9 "Group R-2" is hereby amended to read as follows:

"A manual fire alarm system shall be installed in Group R-2 occupancies where:

"1. Any dwelling unit or sleeping unit is located two (2) or more stories above the lowest level of exit discharge:

"2. [Remains as is]

"3. The building contains more than three (3) dwelling units or sleeping units."

(w) Delete Section 1203.2.1 and replace with:

"Attic ventilation openings, soffit vents and vents through roofs shall not exceed 144 square inches each. Such vents shall be covered with noncombustible corrosion-resistant mesh with openings not to exceed ¼ inch."

(x) Delete Section 1203.3.1 #6 and replace with:

"Noncombustible corrosion-resistant mesh with openings not to exceed ⅛ inch."

(y) Table 1501.1, delete footnote (a) and replace with:

"Unless otherwise required to be Class A covering due to location in High Hazard Area as indicated by the City of Aspen Wildfire Hazard Assessment Map."

(z) Add Section 1504.8 Snow shed design, to read as follows.

"Roofs shall be designed so that they do not shed ice and snow onto potentially occupied areas such as a walkway, stairway, alley, deck, pedestrian and vehicular exit from buildings or areas where there is potential for personal injury or property damage and areas directly above or in front of gas utility or electric utility meters.

"Exception: Mechanical barriers installed to roof framing members or solid blocking secured to framing in accordance to manufacturers' instructions."

(aa) Section 1505.1, delete the last sentence and replace with:

"The minimum roof coverings installed shall be Class B and Class A in the HIGH areas identified by the City of Aspen Wildfire Hazard Assessment Map."

(bb) Table 1505.1, delete all C Classifications and replace with B Classification.

(cc) Section 1507.2.8.2 "Ice dam membrane" is hereby amended to read as follows:

"An ice dam barrier that consists of at least two (2) layers of underlayment cemented together or of a self-adhering polymer modified bitumen sheet shall be used in lieu of normal underlayment and shall extend from the roof eave edge at least six (6) feet inside the exterior wall line as measured along the roof surface, twenty-four (24) inches from the centerline of the valley and up twenty-four (24) inches on the vertical wall at a roof and wall juncture."

(dd) Section 1607.2 "Ground snow loads" is hereby amended to read as follows:

"The ground snow load to be used in determining the snow loads for roofs shall be seventy-five (75) pounds per square foot in the City."

(ee) Section 1612.3. Insert: "City of Aspen" for [NAME OF JURISDICTION].

(ff) Section 1612.3. Insert: "June 4, 1987" for [DATE OF ISSUANCE].

(gg) Section 1805.2.1 item #1 "Frost protection" is hereby amended to read as follows:

"Frost protection depth shall be thirty-six (36) inches."

(hh) Section 1807.4.3 "Drainage discharge" is hereby amended as follows:

Delete Exception

(ii) Add Section 2111.1.1 Fireplaces allowed, to read as follows:

"The number of fireplaces allowed shall be determined by this Code, Section 13.08.070."

(jj) Add Section 3001.5 Permits required to read as follows:

"Elevator permits and inspections are required through the Northwest Colorado Council of Governments (NWCCOG)."

(kk) Section 3409.2. Insert: [DATE IN ONE LOCATION]

(Ord. No. 55-1999, §2 [part]; Ord. No. 47-2002, §12; Ord. No. 10-2003, §1, Ord. No. 59-2003, §1; Ord. No. 7, 2007, §1; Ord. No. 11-2009 §3)

Sec. 8.20.030. Violations and penalties.

(a) It shall be unlawful for any person, including an owner, occupant or builder, to erect, construct, enlarge, alter, repair, move, improve, remove, convert or demolish, quip, use, occupy or maintain any building or structure in the City or cause the same to be done, contrary to or in violation of any of the provisions of this Code.

(b) A violation of any of the provisions of the Code shall constitute a misdemeanor, punishable upon conviction by a fine, imprisonment, or both a fine and improvement, as set forth in Section 1.04.080 of this Code. A separate offense shall be deemed committed on each day or portion thereof that the violation of any of the provisions of this Code occurs or continues unabated after the time limit set for abatement of the violation. (Ord. No. 55-1999, §2 [part])

Sec. 8.20.040. Reserved.

Chapter 8.24

NATIONAL ELECTRICAL CODE

Editor's note—Ord. No. 55-1999, §3, repealed former Ch. 8.24, pertaining to the Electrical Code and enacted a new Ch. 8.24 as herein set out. Former Ch. 8.24 was derived from Code 1962 §§4-2-1—4-2-10, Code 1971 §§7-156—7-168 and Ord. Nos. 4-1962, 19-1968, 46-1968, 55-1974, 69-1974, 78-1976, 2-1978, 3-1990, 21-1991, 42-1993, 53-1994, 4-1996 and 12-1996.

Sec. 8.24.010. Adoption of the National Electrical Code, most current edition and the International Code Council Electrical Code Administration Provisions, most current edition.

Pursuant to the power and authority conferred by the law of the State and the Charter of the City, it is hereby adopted herein by reference as if fully set forth those regulations contained in the National Electrical Code, most current edition, published by the National Fire Protection Association, Batterymarch Park, Quincy, Massachusetts, 02269 and the International Code Council Electrical Code Administration Provisions, most current edition, published by the International Code Council, 4051 West Flossmoor Road, Country Club Hills, Illinois, 60478-5795, except as otherwise provided by amendment or deletion as contained in Section 8.24.020 of this Chapter. At least one (1) copy of the National Electrical Code and the International Code Council Electrical Code Administration Provisions, most current edition, adopted by the City, shall be kept on file in the office of the City Clerk and shall be made available for inspection during regular business hours. (Code 1962, §4-2-1; Ord. No. 46-1968; Code 1971, §7-156; Ord. No. 55-1974, §1; Ord. No. 2-1978, §1; Ord. No. 21-1991, §1; Ord. No. 42-1993, §1; Ord. No. 53-1994, §26; Ord. No. 4-1996, §1; Ord. No. 59-2003, §4)

Sec. 8.24.020. Amendments.

(a) Section 101.1 Insert: "City of Aspen" for [NAME OF JURISDICTION].

(b) Section 301 DEPARTMENT OF ELECTRICAL INSPECTION is hereby amended to read as follows:

"SECTION 301 ELECTRICAL INSPECTOR FOR THE DIVISION OF BUILDING SAFETY

"Section 301.1 Creation of electrical inspector. The Electrical Inspector for the Division of Building Safety is hereby created and the official in charge thereof shall be known as the Building Official. The function of the Electrical Inspector is to assist the Building Official in the administration and enforcement of the provisions of this code.

"Section 301.2 Appointment. The Building Official of the jurisdiction shall appoint the electrical inspector."

(c) Section 401.3 "Work exempt from permit" is hereby amended by deleting item 5:

[Delete] "5. Electrical wiring, devices, appliances, apparatus or equipment operating at less than 25 volts and not capable of supplying more than 50 watts of energy."

(d) Section 404.2 "Schedule of permit fees" is hereby amended to read as follows:

"A permit shall not be valid until the fees prescribed by Section 2.12.100 of this Code are paid in full."

(e) Chapter 11 is deleted in its entirety and shall read as follows:

"Section 1101. Appeals shall be in accordance with Section 8.08 of this Code.

"The following general amendments are made to the provisions of the National Electrical Code, most current edition, herein adopted by reference:

"(a) All 125 volt, single phase, 15 and 20 ampere receptacles to serve counter top spaces installed within six (6) feet of a sink, shall have ground-fault circuit interrupter protection for personnel.

"(b) All storage areas and similar rooms in Residential Occupancies shall have surface mounted lighting fixtures with a maximum lighting capability of 1 watt per square foot and 1 duplex outlet per one hundred (100) square feet of floor area or fraction thereof.

"(c) Article 210-52(d) Bathrooms. In dwelling units, at least one (1) wall receptacle outlet shall be installed in bathrooms within thirty-six (36) inches (914 mm) of the outside edge of each basin. The receptacle outlet shall be located on a wall that is adjacent to the basin and within twelve (12) inches of the top of the basin. See Subsection 210-8(a)(1).

"(d) Receptacle outlets shall not be installed in a face up position in the work surfaces or countertops in a bathroom basin location."

(Ord. No. 55-1999, § 3 [part]; Ord. No. 59-2003, § 4)

Chapter 8.28

INTERNATIONAL FUEL GAS CODE¹

¹ **Editor's note**—Ord. No. 7-1971, adopted March 8, 1971, repealed former Art. VII, §§ 7-179—7-182, pertaining to the Gas Fitting Code. Said former Art. VII has been reserved to maintain Code format and for future legislation.

Sec. 8.28.010. Adoption of the 2003 Edition of the International Fuel Gas Code.

Pursuant to the powers and authority conferred by the laws of the State and the Charter of the City, there is hereby adopted and incorporated herein by reference as if fully set forth those regulations contained in the International Fuel Gas Code, 2003 Edition, as published by the International Code Council, 4051 West Flossmoor Road, Country Club Hills, Illinois, 60478-5795, except as otherwise provided by amendment or deletion as contained in Section 8.28.020 of this Chapter. At least one (1) copy of the International Fuel Gas Code shall be available for inspection during regular business hours. (Ord. No. 55-1999 § 2 [part]; Ord No. 59-2003 § 5)

Sec. 8.28.020. Amendments

The International Fuel Gas Code, 2003 Edition, as adopted by the City of Aspen at Section 8.20.010 is hereby amended to read as follows:

(a) Section 101.1(IFGC) Insert: "City of Aspen" for [NAME OF JURISDICTION].

(b) SECTION 103(IFGC) DEPARTMENT OF INSPECTION is hereby amended to read as follows:

"SECTION 103 DIVISION OF BUILDING SAFETY

"Section 103.1 The Division of Building Safety is hereby created and the official in charge thereof shall be known as the building official."

(c) Section 106.5.2 "Fee schedule" is hereby amended to read as follows:

"A permit shall not be valid until the fees prescribed by Section 2.12.100 of this Code are paid in full."

(d) Section 106.5.3 "Fee refunds." Insert: "80%" for [SPECIFY PERCENTAGE].

(e) Section 109 (IFGC) Means of Appeal is deleted in its entirety and shall read as follows:

"Section 109.1 Appeals shall be in accordance with Section 8.08 of this Code."

(Ord. No. 59-2003 § 5)

Chapter 8.32

INTERNATIONAL EXISTING BUILDING CODE

Editor's note—Ord. 5-1999, § 4, repealed former Ch. 8.32, pertaining to the Housing Code and enacted a new Ch. 8.32 as herein set out. Former Ch. 8.32 was derived from Code 1962 §§ 4-8-1, Code 1971 §§ 7-196—7-198 and Ord. Nos. 5-1965, 3-1971, 52-1974 and 12-1996.

Sec. 8.32.010. Adoption of the International Existing Building Code, 2003 Edition.

Pursuant to the powers and authority conferred by the laws of the State and the Charter of the City, there is hereby adopted and incorporated herein by reference as if fully set forth those regulations contained in the International Existing Building Code, 2003 Edition, as published by the International Code Council, 4051 West Flossmoor Road, Country Club Hills, Illinois, 60478-5795, except as otherwise provided by amendment or deletion as contained in Section 8.32.020 of this Chapter. At least one (1) copy of the International Existing Building Code shall be available for inspection during regular business hours. (Ord. No. 59-2003, § 6)

Sec. 8.32.020. Amendments.

The International Existing Building Code, 2003 Edition, as adopted by the City at Section 8.32.010, is hereby amended to provide and read as follows:

(a) Section 101.1 Insert: "City of Aspen" for [NAME OF JURISDICTION].

(b) SECTION 103 DEPARTMENT OF BUILDING SAFETY is hereby amended to read as follows:

"SECTION 103 DIVISION OF BUILDING SAFETY

"Section 103.1 The Division of Building Safety is hereby created and the official in charge thereof shall be known as the Building Official."

(c) Section 104.6 "Right of Entry" is hereby amended to read as follows:

[The Section shall remain as is except that the last sentence shall read:] "If entry is refused or no person having charge or control over the building or premises can be located, the building official shall obtain a warrant from the Municipal Court authorizing the Building Official to make entry onto the building or premises."

(d) Section 104.8 "Liability" is hereby amended and to read as follows:

"The Building Official or his or her authorized representative charged with the enforcement of this code, acting in good faith and without malice in the discharge of his or her duties, shall not thereby render himself or herself personally liable for any damage that may accrue to persons or property as a result of any act or omission in the discharge of his or her duties.

"This Code shall not be construed to relieve or lessen the responsibility of any person owning, operating or controlling any building or structure for any damage to persons or property caused by defects on or in such premises, nor shall the code enforcement agency, any employee thereof or City be held as assuming any such responsibility or liability by reason of the adoption of this code or by the exercise of inspections authorized and carried out hereunder or by the issuance of any permits or certificates issued pursuant to this code."

(e) Section 105.3.2 "Time limitation of application" is hereby amended and to read as follows:

"An application for any proposed work shall be deemed to have been abandoned six (6) months after the date of filing, unless such application has been pursued in good faith or a permit has been issued. The Building Official is authorized to grant an extension not exceeding six (6) months. The extension shall be requested in writing and justifiable cause demonstrated."

(f) Section 105.5 "Expiration" is hereby amended and to read as follows:

"Every permit issued by the Building Official under the provisions of this code shall expire twelve (12) months after the date of issue."

(g) Section 106.3.3 "Phased Approval" is hereby amended and to read as follows:

"The Building Official is authorized to issue a permit for the construction of the foundation of a building only after the documents for the whole building or structure have been submitted and approved by the appropriate referral agencies. The holder of a foundation permit shall proceed at the holder's own risk without assurance that a permit for the entire structure will be granted."

(h) Section 110.3 "Temporary Occupancy" is hereby deleted and replaced to read as follows:

"Section 110.3 Conditional occupancy. The Building Official is authorized to issue a conditional certificate of occupancy before the completion of the entire work covered by the permit or conditions of approval, provided that portions of the building shall be occupied safely. The conditional certificate of occupancy shall clearly state the portions of the building that may be occupied, the conditions that must be met and a time period during which the conditional certificate of occupancy is valid."

(i) Section 112.1 "Board of Appeals, General" is hereby amended and to read as follows:

[The Section shall remain as is except that the last sentence shall read:] "The Building Code Board of Appeals shall possess that authority as provided in this Code, Chapter 8.08."

(Ord. No. 59-2003, § 6)

Chapter 8.36

INTERNATIONAL PLUMBING CODE

Editor's note—Ord. No. 55-1999, § 5, repealed former Ch. 8.36, pertaining to the Plumbing Code and enacted a new Ch. 8.36 as herein set out. Former Ch. 8.36 was derived from Code 1962 §§ 4-3-1—4-3-5, Code 1971 §§ 7-213—7-218 and Ord. Nos. 1969-1, 9-1988, 58-1990, 53-1994, 53-1995, 12-1996 and 43-1996.

Sec. 8.36.010. Adoption of the International Plumbing Code, 2003 Edition.

Pursuant to the powers and authority conferred by the laws of the State and the Charter of the City, there is hereby adopted and incorporated herein by reference as if fully set forth those regulations contained in the International Plumbing Code, 2003 Edition, including Appendix C, E and F as published by the International Code Council, 4051 West Flossmoor Road, Country Club Hills, Illinois, 60478-5795, except as otherwise provided by amendment or deletion as contained in Section 8.36.020 of this Chapter. At least one (1) copy of the International Plumbing Code shall be available for inspection during regular business hours. (Ord. No. 55-1999, § 2 [part]; Ord. No. 59-2003, § 7)

Sec. 8.36.020. Amendments.

The International Plumbing Code, 2003 Edition, as adopted by the City at Section 8.36.010 above, is hereby amended to provide and read as follows:

- (a) Section 101.1 Insert: "City of Aspen" for [NAME OF JURISDICTION].
- (b) SECTION 103 DEPARTMENT OF PLUMBING INSPECTION is hereby amended to read as follows:

"SECTION 103 DIVISION OF BUILDING SAFETY

"Section 103.1 The Division of Building Safety is hereby created and the official in charge thereof shall be known as the building official."

- (c) Section 104.8 "Liability" is hereby amended to read as follows:

"The Building Official or his or her authorized representative charged with the enforcement of this code, acting in good faith and without malice in the discharge of his or her duties, shall not thereby render himself or herself personally liable for any damage that may accrue to persons or property as a result of any act or omission in the discharge of his or her duties.

"This Code shall not be construed to relieve or lessen the responsibility of any person owning, operating or controlling any building or structure for any damage to persons or property caused by defects on or in such premises, nor shall the code enforcement agency, any employee thereof or City be held as assuming any such responsibility or liability by reason of the adoption of this code or by the exercise of inspections authorized and carried out hereunder or by the issuance of any permits or certificates issued pursuant to this code."

- (d) Section 104.5 "Right of Entry" is hereby amended and to read as follows:

[The Section shall remain as is except that the last sentence shall read:] "If entry is refused or no person having charge or control over the building or premises can be located, the Building

Official shall obtain a warrant from the Municipal Court authorizing the Building Official to make entry onto the building or premises."

(e) Section 106.5.3 "Expiration" is hereby amended and to read as follows:

"Every permit issued by the Building Official under the provisions of this code shall expire twelve (12) months after the date of issue."

(f) Section 106.5.4 "Extension" is hereby amended to read as follows:

"No extensions will be granted."

(g) Section 106.6.2 "Fee schedule" is hereby amended to read as follows:

"A permit shall not be valid until the fees prescribed by Section 2.12.100 of this Code are paid in full."

(h) Section 106.5.3 Fee refunds. Insert: "80%" for [SPECIFY PERCENTAGE].

(i) Section 109 Means of Appeal is deleted in its entirety and shall read as follows:

"Section 109.1 Appeals shall be in accordance with Chapter 8.08 of this Code."

(j) Section 305.6.1 Sewer Depth. Insert "48" for [NUMBER].

(k) Table 702.3 Building Sewer Pipe is amended to delete "Vitrified clay pipe" as an allowed material.

(l) Section 904.1 Roof Extension. Insert "12" for [NUMBER].

(Ord. No. 55-1999, § 5(part); Ord. No. 47-2002 § 13, 2002; Ord. No. 59-2003, § 7)

Chapter 8.40

WATER CONSERVATION AND PLUMBING ADVISORY CODE

Sec. 8.40.010. Applicability.

The provisions of this Chapter shall govern the construction and the landscaping of new residential, commercial and industrial structures and the remodeling of existing residential, commercial and industrial structures within the City. (Code 1971, § 7-231; Ord. No. 43-1981, § 1)

Sec. 8.40.020. Installation of high-efficiency fixtures.

No building permit shall be issued for the construction of a new residential, commercial or industrial structure or for the indoor or outdoor remodeling of an existing commercial, residential or industrial structure unless the design, construction or remodeling incorporates high-efficiency plumbing fixtures. In the instance of indoor or outdoor remodeling, compliance with this Section shall be limited to that portion of the structure for which a building permit is issued.

High-efficiency plumbing fixtures shall be defined as those fixtures which comply with the following standards for water use:

- (a) All water closets designed not to exceed a flow rate of one point six (1.6) gallons per flush.
- (b) Urinals designed not to exceed one point zero (1.0) gallons per flush. The use of automatic time flush devices for urinals shall not be permitted.
- (c) Shower heads designed not to exceed a flow rate of (two point five (2.5) gallons per minute.
- (d) Lavatory, kitchen and service faucets designed not to exceed a flow rate of two point two (2.2) gallons per minute.
- (e) All commercial lavatories equipped with spring-loaded faucets that close when not in use or faucets that are equipped with metering valves that close automatically after delivering a maximum of twenty-five (25) gallons, except for required handicapped facilities which may be equipped with faucets designed for the handicapped.
- (f) Exceptions. Restaurant kitchen faucets and safety showers shall be exempted from the above flow restrictions.

Other types of high-efficiency fixtures may be permitted provided that those fixtures are proven to use no more water than those fixtures defined as high-efficiency fixtures. Such proof shall be made to the satisfaction of the Building Department Official reviewing the application for a building permit. (Code 1971, § 7-232; Ord. No. 43-1981, § 1; Ord. No. 37-1991, § 1)

Sec. 8.40.030. Landscaping criteria; grass species, irrigation.

(a) To the extent practicable and consistent with the proposed design and use of the property, landscaping shall utilize, for grassy areas, grasses which have the effect of minimizing the consumptive use of water applied to such grass for irrigation. The Director of Parks shall promulgate an advisory list of drought tolerant grass species and acceptable mixtures of such species. This list shall be updated as research and experience dictate.

(b) For all outside irrigation, the development proposal shall include, to the extent practicable, an irrigation system which would incorporate only equipment of the most water-conserving type commercially available at the time the proposal is submitted for approval. Additionally, all irrigation shall be undertaken with raw water if possible. At a minimum, irrigation systems shall:

(1) Be equipped with time-activated automatic control clocks and shutoff valves.

(2) Be equipped with sprinkler heads of a type which provide the most uniform coverage feasible and maximum feasible droplets sized to reduce evaporation and wind disturbance of the coverage (pulsating type).

(3) Where the slope gradient of the proposed development so requires, be designed to control flow for the purpose of reducing runoff. (Code 1971, § 7-233; Ord. No. 43-1981, § 1; Ord. No. 37-1991, § 2)

Sec. 8.40.040. Raw water supplies (nonpotable).

Raw water supplies for irrigation systems shall be provided exclusively by the City Water Utility. The owner of the property proposed to be irrigated from City water facilities shall dedicate to the City all raw water transmission facilities and all water rights appurtenant to the proposed property. For those developments in which raw water irrigation can be used, development proposals shall include provisions for recording of covenants and restrictions against the use of treated water outdoors and against the use of untreated water other than in accordance with the landscaping, irrigation and drainage management plan provided for in a development proposal. (Code 1971, § 7-234; Ord. No. 43-1981, § 1)

Sec. 8.40.050. Soil preparation.

No building permit shall be granted for the construction of a new residential, commercial or industrial structure unless the design of all landscaping areas primarily devoted to the cultivation of any species of grass for aesthetic purposes and not for agricultural food production, includes proper soil preparation as hereinafter defined.

Soil preparation shall be defined as the addition to existing soils of a minimum of three (3) cubic yards per one thousand (1,000) square feet of organic matter introduced by tilling, discing or other suitable method to a minimum depth of four (4) inches. Acceptable organic matter shall include compost, peat moss, aged manures, aged sawdust or any combination of the above. (Code 1971, § 7-235; Ord. No. 37-1991, § 3)

Chapter 8.44

MECHANICAL CODE

Editor's note—Ord. No. 55-1999, § 6, repealed former Ch. 8.44, pertaining to the Mechanical Code and enacted a new Ch. 8.44 as herein set out. Former Ch. 8.44 was derived from Code 1971 §§ 7-245—7-247 and Ord. Nos. 32-1981, 57-1990, 53-1994, 53-1995, 12-1996 and 43-1996.

Sec. 8.44.010. Adoption of the 2003 Edition of the International Mechanical Code.

Pursuant to the powers and authority conferred by the laws of the State and the Charter of the City, there is hereby adopted and incorporated herein by reference as if fully set forth those regulations contained in the International Mechanical Code, 2003 Edition, as published by the International Code Council, 4051 West Flossmoor Road, Country Club Hills, Illinois, 60478-5795, except as otherwise provided by amendment or deletion as contained in Section 8.44.020 of this Chapter. At least one (1) copy of the International Mechanical Code shall be available for inspection during regular business hours. (Ord. No. 55-1999, § 2 [part]; Ord. No. 59-2003, § 8)

Sec. 8.44.020. Amendments.

The International Mechanical Code, 2003 Edition, as adopted by the City at Section 8.44.010, is hereby amended to provide and read as follows:

(a) Section 101.1 Insert: "City of Aspen" for [NAME OF JURISDICTION].

(b) SECTION 103 DEPARTMENT OF MECHANICAL INSPECTION is hereby amended to read as follows:

"SECTION 103 DIVISION OF BUILDING SAFETY

"Section 103.1 General. The Division of Building Safety is hereby created and the official in charge thereof shall be known as the building official."

(c) Section 103.4 "Liability" is hereby amended to read as follows:

"The Building Official or his or her authorized representative charged with the enforcement of this code, acting in good faith and without malice in the discharge of his or her duties, shall not thereby render himself or herself personally liable for any damage that may accrue to persons or property as a result of any act or omission in the discharge of his or her duties.

"This Code shall not be construed to relieve or lessen the responsibility of any person owning, operating or controlling any building or structure for any damage to persons or property caused by defects on or in such premises, nor shall the code enforcement agency, any employee thereof or City be held as assuming any such responsibility or liability by reason of the adoption of this code or by the exercise of inspections authorized and carried out hereunder or by the issuance of any permits or certificates issued pursuant to this code."

(d) Section 104.5 "Right of entry" is hereby amended to read as follows:

[The Section shall remain as is except that the last sentence shall read:] "If entry is refused or no person having charge or control over the building or premises can be located, the Building Official shall obtain a warrant from the Municipal Court authorizing the Building Official to make entry onto the building or premises."

(e) Section 106.4.3 "Expiration" is hereby amended to read as follows:

"Every permit issued by the Building Official under the provisions of this Code shall expire twelve (12) months after the date of issue."

(f) Section 106.4.4 "Extension" is hereby amended and to read as follows:

"No extensions will be granted."

(g) Section 106.5.2 "Fee schedule" is hereby amended and to read as follows:

"A permit shall not be valid until the fees prescribed by Section 2.12.100 of this Code are paid in full."

(h) Section 106.5.3 "Fee refunds." Insert: "80%" for [SPECIFY PERCENTAGE].

(i) Section 109 "Means of appeal" is deleted in its entirety and shall read as follows:

"Section 109.1 Appeals shall be in accordance with Chapter 8.08 of this Code."

(j) Add Section 901.5. Fireplaces allowed, to read as follows.

"The number of fireplaces allowed shall be determined by this Code, Section 13.08.070."

(k) Section 903.3 "Unvented gas log heaters" is amended to read as follows:

"Unvented gas log heaters are prohibited."

(Ord. No. 55-1999, § 6 [part]; Ord. No. 47-2002, § 14; Ord. No. 59-2003, § 8)

Chapter 8.46

International Energy Conservation Code

Sec. 8.46.010. Adoption of the 2009 Edition of the International Energy Conservation Code.

Pursuant to the powers and authority conferred by the laws of the State and the Charter of the City, there is hereby adopted and incorporated herein by reference as if fully set forth those regulations contained in the International Energy Conservation Code, 2009 Edition, as published by the International Code Council except as otherwise provided by amendment or deletion as contained in Section 8.46.020 of this Chapter. At least one (1) copy of the International Energy Conservation Code shall be available for inspection during regular business hours in the City Clerk's Office, second floor of City Hall.

Sec. 8.46.020. Amendments.

The International Energy Conservation Code, 2009 Edition, the addition of Appendix A "Residential Renewable Energy Mitigation Program" and Appendix B "Commercial Renewable Energy Mitigation Program" as adopted by the City at Section 8.46.010, is hereby amended to provide and read as follows:

Section 101.1 Insert: "City of Aspen" for [NAME OF JURISDICTION].

(b) Section 107.2 "Schedule of permit fees" is hereby amended and to read as follows:

"A permit shall not be valid until the fees prescribed by Section 2.12.100 of this Code are paid in full."

(c) Section 109 "Means of appeal" is deleted in its entirety and shall read as follows:

"Section 109.1 Appeals shall be in accordance with Chapter 8.08 of this Code."

(d) Add Section 110 "Liability" to read as follows:

"The Building Official or his or her authorized representative charged with the enforcement of this code, acting in good faith and without malice in the discharge of his or her duties, shall not thereby render himself or herself personally liable for any damage that may accrue to persons or property as a result of any act or omission in the discharge of his or her duties.

"This Code shall not be construed to relieve or lessen the responsibility of any person owning, operating or controlling any building or structure for any damage to persons or property caused by defects on or in such premises, nor shall the code enforcement agency, any employee thereof or City be held as assuming any such responsibility or liability by reason of the adoption of this code or by the exercise of inspections authorized and carried out hereunder or by the issuance of any permits or certificates issued pursuant to this code."

(e) Section 301 "Climate zones" is deleted in its entirety and shall read as follows:

"The City of Aspen, Colorado and Pitkin County, Colorado shall use Climate Zone 7 in determining the applicable requirements from Chapters 4 and 5".

- (f) Section 402.4.2 “Air sealing and insulation” is hereby amended and to read as follows:
“Building envelope air tightness and insulation installation shall be demonstrated to comply with the testing option section 402.4.2.1:
402.4.2.1. Testing option. Building envelope air tightness and insulation installation shall be considered acceptable when tested air leakage is less than 0.35 air changes per hour (ACH) when tested with a blower door at a pressure of 33.5 psf (50 Pa). *The remainder of the section remains unchanged.*
402.4.2.2 is deleted in its entirety.

Add “Appendix A” to read as follows:

“Residential Renewable Energy Mitigation Program”

SECTION 101 SCOPE AND ADMINISTRATION

Section 101.1 Scope. Residential snowmelt, outside pool, or outside spa systems and equipment may be installed only if the supplemental energy meets the requirements of the **Residential Renewable Energy Mitigation Program (RREMP)** Appendix A. This applies to all installations for which an application for a permit or renewal of an existing permit is filed or is by law required to be filed with or without an associated Building Permit that include systems described in section 101.1.

Section 101.2 Residential Renewable Energy Mitigation Program (RREMP) Option – Exterior energy use for residential snowmelt systems, outdoor spas, and outdoor pools are calculated as directed by Section 201.

Section 101.3 On-site Renewable Credits Option – Renewable credit options are calculated as directed by Section 301.

Section 102 Payment option. The RREMP payment option is the difference in energy use calculated in section 202 and on-site renewable credits calculated in section 302 and shall be paid at the time of issuance of the building permit. The payment, if any, is based on the amount of energy required, expressed as dollars per square foot, to operate the exterior energy use systems. No payment shall be made to an applicant that exceeds the energy use with on-site renewable credits. All monies collected pursuant to this section shall be recorded in a separate fund by the City Finance Director and shall be spent in accordance with a joint resolution by the Aspen City Council and Pitkin County Board of County Commissioners.

Section 103 Credits for on-site renewable energy. This RREMP payment option is voluntary. Applicants interested in exterior energy use systems can alternatively choose to produce on-site renewable energy (Section 301) with solar photovoltaics and/or solar hot water. Also the energy efficient technology of ground source heat pumps is permitted for supplemental on-site energy. Micro-hydro and wind generation systems will be credited according to industry standard site specific production reports.

Section 104 Pre-existing systems. Pre-existing snowmelt, pools or spas which are being overhauled or renovated qualify for exterior energy credit. This credit can only be applied towards an installation of exterior energy on the same parcel. The calculation of the credit shall be based on section 301.

Section 105 - Residential Repairs. Repairs to building components, systems, or equipment which do not increase their pre-existing energy consumption need not comply with RREMP. All replacement mechanical equipment shall be Energy Star© rated.

SECTION 201 EXTERIOR ENERGY USE CALCULATIONS

Section 201.1 Snow melt energy consumption shall be calculated as a RREMP payment option at \$34.00 per square foot divided by the boiler efficiency (AFUE).

Section 201.2 Outdoor pool energy use shall be calculated as a RREMP payment option at \$136.00 per square foot divided by the boiler efficiency (AFUE).

Section 201.3 Spa energy use shall be calculated as a RREMP payment option at \$176.00 per square foot divided by the boiler efficiency (AFUE). Package spas not more than 64 square feet are exempt.

Section 202 The total RREMP payment option is the total sum of exterior energy use of sections 201.1, 201.2 and 201.3.

SECTION 301 ON-SITE RENEWABLE CREDITS

Section 301.1 Photovoltaic Systems – On-site renewable credit shall be calculated as \$6,241.20 per 1 KiloWatt of the system design. Solar electric (photovoltaic) systems tied to the electric grid, are eligible for on-site renewable credit. Systems must be sited, oriented and installed for solar electric panels to supply at least 90% of rated capacity of the installed KW. System designer/installer must be certified by COSEIA (Colorado Solar Energy Industries Association).

Section 301.2 Solar Hot Water - On-site renewable credit shall be calculated as \$224.65 per 1 square foot of the system design.

Section 301.3 Ground Source Heat Pump - On-site renewable credit shall be calculated as \$6.84 per 100,000 BTU per year of the system design. In order to use a GSHP for on-site renewable credit the GSHP system must supply at least 20% of the peak load for heating the house and all the exterior energy uses.

Section 302 The total RREMP on-site renewable credit is the total sum of sections 301.1, 301.2 and 301.3.

PUBLIC DOMAIN SOFTWARE

Section 401 A free calculation program known as RREMP 2009 shall be made available to the public.

EXAMPLE CALCULATION FOR RESIDENTIAL RENEWABLE ENERGY MITIGATION PROGRAM

<p style="text-align: center;">Snowmelt Example (Snowmelt requested 800 sq. ft.) \$34.00*800/ .91 (efficiency rating of boiler) = \$29,890.11 RREMP payment option for exterior energy use will be \$29,890.11</p> <p style="text-align: center;">ON-SITE RENEWABLE CREDITS 96 square feet of solar hot water panels*\$224.65 per square foot = \$21,566.24 RREMP payment option will be \$8,323.87</p> <p style="text-align: center;">OR 4.8 KW photovoltaic system *\$6,241.20 per kilowatt = \$29,957.76 RREMP payment option will be \$0</p>

Add "Appendix B" to read as follows:

"Commercial Renewable Energy Mitigation Program"

SECTION 101 SCOPE AND ADMINISTRATION

Section 101.1 Scope. Commercial snowmelt, outside pool, or outside spa systems and equipment may be installed only if the supplemental energy meets the requirements of the **Commercial Renewable Energy Mitigation Program (CREMP)** Appendix B. This applies to all installations for which an application for a permit or renewal of an existing permit is filed or is by law required to be filed with or without an associated Building Permit that include systems described in section 101.1.

Section 101.2 Commercial Renewable Energy Mitigation Program (CREMP) Option – Exterior energy use for residential snowmelt systems, outdoor spas, and outdoor pools are calculated as directed by Section 201.

Section 101.3 On-site Renewable Credits Option – Renewable credit options are calculated as directed by Section 301.

Section 102 Payment option. The CREMP payment option is the difference in energy use calculated in section 202 and on-site renewable credits calculated in section 302 and shall be paid at the time of issuance of the building permit. The payment, if any, is based on the amount of energy required, expressed as dollars per square foot, to operate the exterior energy use systems. No payment shall be made to an applicant that exceeds the energy use with on-site renewable credits. All monies collected pursuant to this section shall be recorded in a separate fund by the City Finance Director and shall be spent in accordance with a joint resolution by the Aspen City Council and Pitkin County Board of County Commissioners.

Section 103 Credits for on-site renewable energy. This CREMP payment option is voluntary. Applicants interested in exterior energy use systems can alternatively choose to produce on-site renewable energy (Section 301) with solar photovoltaics and/or solar hot water. Also the energy efficient technology of ground source heat pumps is permitted for supplemental on-site energy. Micro-hydro and wind generation systems will be credited according to industry standard site specific production reports.

Section 104 Pre-existing systems. Pre-existing snowmelt, pools or spas which are being overhauled or renovated qualify for exterior energy credit. This credit can only be applied towards an installation of exterior energy on the same parcel. The calculation of the credit shall be based on section 301.

Section 105 - Commercial Repairs. Repairs to building components, systems, or equipment which do not increase their pre-existing energy consumption need not comply with CREMP.

Section 201 EXTERIOR ENERGY USE CALCULATIONS

Section 201.1 Snow melt energy consumption shall be calculated as a CREMP payment option at \$60.00 per square foot divided by the boiler efficiency (AFUE).

Section 201.2 Outdoor pool energy use shall be calculated as a CREMP payment option at \$170.00 per square foot divided by the boiler efficiency (AFUE).

Section 201.3 Spa energy use shall be calculated as a CREMP payment option at \$176.00 per square foot divided by the boiler efficiency (AFUE). Package spas not more than 64 square feet are exempt.

Section 202 The total CREMP payment option is the total sum of exterior energy use of sections 201.1, 201.2 and 201.3.

Section 301 ON-SITE RENEWABLE CREDITS

Section 301.1 Photovoltaic Systems – On-site renewable credit shall be calculated as \$6,241.20 per 1 KiloWatt of the system design. Solar electric (photovoltaic) systems tied to the electric grid, are eligible for on-site renewable credit. Systems must be sited, oriented and installed for solar electric panels to supply at least 90% of rated capacity of the installed KW. System designer/installer must be certified by COSEIA (Colorado Solar Energy Industries Association).

Section 301.2 Solar Hot Water - On-site renewable credit shall be calculated as \$224.65 per 1 square foot of the system design.

Section 301.3 Ground Source Heat Pump - On-site renewable credit shall be calculated as \$6.84 per 100,000 BTU per year of the system design. In order to use a GSHP for on-site renewable credit the GSHP system must supply at least 20% of the peak load for heating the building and all the exterior energy uses.

Section 302 The total CREMP on-site renewable credit is the total sum of sections 301.1, 301.2 and 301.3.
PUBLIC DOMAIN SOFTWARE

Section 401 A free calculation program known as CREMP 2009 shall be made available to the public.

EXAMPLE CALCULATION FOR COMMERCIAL RENEWABLE ENERGY MITIGATION PROGRAM

<p style="text-align: center;">Snowmelt area 1200 sq. ft. \$60.00*1,200/.92 (efficiency rating of boiler) = \$78,260.87 Pool area 700 sq. ft. \$170.00*700/.92(efficiency rating of boiler)= \$119000.00 Spa area 80 sq. ft. \$176.00*80/.92(efficiency rating of boiler)=\$15,304.35 RREMP payment option for exterior energy use will be \$222,913.04 ON-SITE RENEWABLE CREDITS 448 square feet of solar hot water panels*\$224.65 per square foot = \$100,642.44 20 KW photovoltaic system *\$6,241.20 per kilowatt = \$124,824.00 RREMP payment option will be \$0</p>
--

(Ord. No. 11, 2009, §1)

Chapter 8.48

ABATEMENT OF DANGEROUS BUILDINGS CODE

Sec. 8.48.010. Adoption of the 1997 Edition of the Uniform Code for the Abatement of Dangerous Buildings.

Pursuant to the powers and authority conferred by the laws of the State and the Charter of the City, there is hereby adopted and incorporated herein by reference as if fully set forth those regulations contained in the Uniform Code for the Abatement of Dangerous Buildings, 1997 Edition, published by the International Conference of Building Officials, 5390 South Workman Mill Road, Whittier, California 90601, except as otherwise provided by amendment or deletion as contained in Section 8.48.020 of this Chapter. At least one (1) copy of the Uniform Code for the Abatement of Dangerous Buildings shall be available for inspection during regular business hours. (Ord. No. 55-1999 § 7 [part])

Sec. 8.48.020. Amendments.

The Uniform Code for the Abatement of Dangerous Buildings, 1997 Edition, as adopted by the City at Section 8.48.010, is hereby amended to provide as follows:

(a) Section 205 "Board of Appeals" is amended to read as follows:

"Appeals from determinations or decisions made by the Building Official relative to the application and interpretation of this Code shall be processed and heard by the Board of Appeals in accordance with the provisions contained in Chapter 8.08 of this Code. The Board of Appeals shall possess that authority as specified in Chapter 8.08 of the Municipal Code."

(Ord. No. 55-1999, § 7 [part])

Chapter 8.50

FLOOD DAMAGE PREVENTION

Sec. 8.50.010. Findings of fact, purpose and methods of reducing flood loss.

(a) Findings of fact.

(1) The flood hazard areas of Pitkin County and incorporated areas are subject to periodic inundation which results in loss of life and property, health and safety hazards, disruption of commerce and governmental services, extraordinary public expenditures for flood protection and relief and impairment of the tax base, all of which adversely affect the public health, safety and general welfare.

(2) These flood losses can be caused by increases in storm water runoff due to development and the construction in or alteration of drainage channels. Uses that are inadequately floodproofed, elevated or otherwise protected from flood damage also contribute to the flood loss.

(b) Statement of purpose. It is the purpose of this Chapter to promote the public health, safety and general welfare and to minimize public and private losses due to flood conditions to specific areas by provisions designed:

(1) To protect human life and health;

- (2) To minimize expenditure of public money for costly flood control projects;
- (3) To minimize the need for rescue and relief efforts associated with flooding and generally undertaken at the expense of the general public;
- (4) To minimize prolonged business interruptions;
- (5) To minimize damage to public facilities and utilities such as water and gas mains, electric, telephone and sewer lines, streets and bridges located in areas of special flood hazard;
- (6) To help maintain a stable tax base by providing for the sound use and development of areas of special flood hazard so as to minimize future flood blight areas;
- (7) To ensure that potential buyers are notified that property is in an area of special flood hazard; and
- (8) To ensure that those who occupy the areas of special flood hazard assume responsibility for their actions.

(c) Methods of reducing flood losses. In order to accomplish its purposes, this Chapter includes methods and provisions for:

- (1) Restricting or prohibiting uses which are dangerous to health, safety and property due to water or erosion hazards or which result in damaging increases in erosion or in flood heights or velocities;
- (2) Requiring that uses vulnerable to floods, including facilities that serve such uses, be protected against flood damage at the time of initial construction;
- (3) Controlling the alteration of natural floodplains, stream channels and natural protective barriers, which help accommodate, detain or channel flood waters;
- (4) Controlling filling, grading, dredging and other development which may increase flood damage; and
- (5) Preventing or regulating the construction of flood barriers which will unnaturally divert flood waters or which may increase flood hazards in other areas. (Ord. No. 9-2002, § 1 [part])

Sec. 8.50.020. Definitions.

Unless specifically defined below, words or phrases used in this Chapter shall be interpreted so as to give them the meaning they have in common usage and to give this Chapter its most reasonable application.

- (a) *Appeal* means a request for a review of the Community Development Engineer interpretation of any provisions of this Chapter or a request for a variance.
- (b) *Area of special flood hazard* means the land in the floodplain subject to a one percent (1%) or greater chance of flooding in any given year.
- (c) *Base flood* means the flood having a one percent (1%) chance of being equaled or exceeded in any given year.
- (d) *Development* means any man-made change to improved or unimproved real estate, including but not limited to buildings or other structures, mining, dredging, filling, grading, paving, excavation or drilling operations located within the area of special flood hazard.

(e) *Existing manufactured home park or subdivision* means a *manufactured home park* for which the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including, at a minimum, the installation of utilities, the construction of streets and either final site grading or the pouring of concrete pads) are completed before the effective date of the ordinance codified in this Chapter.

(f) *Expansion to existing manufactured home park or subdivision* means the preparation of additional sites by the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including the installation of utilities, the construction of streets and either final site grading or the pouring of concrete pads).

(g) *Flood or flooding* means a general and temporary condition of partial or complete inundation of normally dry land areas from:

- (1) The overflow of inland or tidal waters and/or
- (2) The unusual and rapid accumulation or runoff of surface waters from any source.

(h) *Flood Insurance Rate Map (FIRM)* means the official map on which the Federal Emergency Management Agency has delineated both the areas of special flood hazards and the risk premium zones.

(i) *Flood Insurance Study* means the official report provided by the Federal Emergency Management Agency that includes flood profiles, the Flood Boundary-Floodway Map and the water surface elevation of the base flood.

(j) *Floodway* means the channel of a river or other watercourse and the adjacent land areas that must be reserved in order to discharge the base flood without cumulatively increasing the water surface elevation more than one (1) foot.

(k) *Lowest floor* means the *lowest floor* of the lowest enclosed area (including basement). An unfinished or flood resistant enclosure, usable solely for parking of vehicles, building access or storage, in an area other than a basement area, is not considered a building's lowest floor, provided that such enclosure is not built so as to render the structure in violation of the applicable nonelevation design requirements of this Chapter.

(l) *Manufactured home* means a structure, transportable in one (1) or more sections, which is built on a permanent chassis and is designed for use with or without a permanent foundation when attached to the required utilities. The term *manufactured home* does not include a *recreational vehicle*.

(m) *New construction* means structures for which the "start of construction" commenced on or after the effective date of the ordinance codified in this Chapter and includes any subsequent improvements to such structures.

(n) *New manufactured home park or subdivision* means a *manufactured home park or subdivision* for which the construction of facilities for servicing the lots on which the manufactured homes are to be affixed (including at a minimum, the installation of utilities, the construction of streets and either final site grading or the pouring of concrete pads) is completed on or after the effective date of these floodplain management regulations.

(o) *Recreational vehicle* means a vehicle, which is (1) built on a single chassis; (2) four hundred (400) square feet or less when measured at the largest horizontal projections; (3) designed to be self-propelled or permanently towable by a light duty truck; and (4) designed primarily not for use as a permanent dwelling but as temporary living quarters for recreational, camping, travel or seasonal use.

(p) *Start of construction includes substantial improvement* and means the date the building permit was issued, provided the actual start of construction, repair, reconstruction, placement or other improvement was within one hundred eighty (180) days of the permit date. The *actual start* means the first placement of permanent construction of a structure on a site, such as the pouring of slab or footings, the installation of piles, the construction of columns or any work beyond the stage of excavation or the placement of a manufactured home on a foundation. Permanent construction does not include land preparation, such as clearing, grading and filling; nor does it include the installation of streets and/or walkways; nor does it include excavation for a basement, footings, piers or foundations or the erection of temporary forms; nor does it include the installation on the property of accessory buildings, such as garages or sheds not occupied as dwelling units or not part of the main structure. For a substantial improvement, the *actual start of construction* means the first alteration of any wall, ceiling, floor or other structural part of a building, whether or not that alteration affects the external dimensions of the building.

(q) *Structure* means a walled and roofed building or manufactured home that is principally above ground.

(r) *Substantial damage* means damage of any origin sustained by a structure whereby the cost of restoring the structure to its before damaged condition would equal or exceed fifty percent (50%) of the market value of the structure before the damage occurred.

(s) *Substantial improvement* means any reconstruction, rehabilitation, addition or other improvement of a structure, the cost of which equals or exceeds fifty percent (50%) of the market value of the structure before the *start of construction* of the improvement. This term includes structures which have incurred *substantial damage*, regardless of the actual repair work performed. The term does not, however, include either:

(1) Any project for improvement of a structure to correct existing violations of state or local health, sanitary or safety code specifications which have been identified by the local code enforcement official and which are the minimum necessary to assure safe living conditions; or

(2) Any alteration of a *historic structure*, provided that the alteration will not preclude the structure's continued designation as a "historic structure."

(t) *Variance* means a grant of relief from the requirements of this Chapter which permits construction in a manner that would otherwise be prohibited by this Chapter. (Ord. No. 9-2002 § 1 [part])

Sec. 8.50.030. General provisions.

(a) Lands to which this Chapter applies. This Chapter shall apply to all areas of special flood hazard within the jurisdiction of the City.

(b) Basis for establishing the areas of special flood hazard. The areas of special flood hazard identified by the Federal Emergency Management Agency in a scientific and engineering report entitled, "The Flood Insurance Study for Pitkin County and Incorporated Areas," dated September 30, 1988, with an accompanying Flood Insurance Rate Map (FIRM), is adopted by reference and declared to be a part of this Chapter. The Flood Insurance Study and FIRM are on file at the offices of the Community Development Engineer and (address of map repository).

(c) Compliance. No structure or land shall hereafter be constructed, located, extended, converted or altered without full compliance with the terms of this Chapter and other applicable regulations.

(d) Abrogation and greater restrictions. This Chapter is not intended to repeal, abrogate or impair any existing easements, covenants or deed restrictions. However, where this Chapter and another ordinance, easement, covenant or deed restriction conflict or overlap, whichever imposes the more stringent restrictions shall prevail.

(e) Interpretation. In the interpretation and application of this Chapter, all provisions shall be:

- (1) Considered as minimum requirements;
- (2) Liberally construed in favor of the governing body; and
- (3) Deemed neither to limit nor repeal any other powers granted under state statutes.

(f) Warning and disclaimer of liability. The degree of flood protection required by this Chapter is considered reasonable for regulatory purposes and is based on scientific and engineering considerations. Larger floods can and will occur on rare occasions. Flood heights may be increased by man-made or natural causes. This Chapter does not imply that land outside the areas of special flood hazard or uses permitted within such areas will be free from flooding or flood damages. This Chapter shall not create liability on the part of the City, any officer or employee thereof or the Federal Emergency Management Agency for any flood damages that result from reliance on this Chapter or any administrative decision lawfully made thereunder. (Ord. No. 9-2002, § 1 [part])

Sec. 8.50.040. Administration.

(a) Establishment of development permit.

(1) A development permit shall be obtained before construction or development begins within any area of special flood hazard established in Subsection 8.50.030(b).

(2) Application for a development permit shall be made on forms furnished by the Community Development Engineer and may include, but not be limited to:

(A) Plans in duplicate drawn to scale showing the nature, location, dimensions and elevations of the area in question; existing or proposed structures, fill, storage of materials, drainage facilities; and the location of the foregoing.

(B) Where base flood elevations are utilized, all new construction, substantial improvements and other development must comply with requirements of Subsection 8.50.040(c)(2).

(b) Designation of the Community Development Engineer of the City. The Community Development Engineer is hereby appointed to administer and implement this Chapter by granting or denying development permit applications in accordance with its provisions.

(c) Duties and responsibilities of the Community Development Engineer. Duties of the Community Development Engineer shall include, but not be limited to:

(1) Permit review.

(A) Review all development permits to determine that the permit requirements of this Chapter have been satisfied;

(B) Review all development permits to determine that all necessary permits have been obtained from federal, state or local governmental agencies from which prior approval is required.

(C) Review all development permits to determine if the proposed development is located in the floodway. If located in the floodway, assure that the encroachment provisions of this Section are met.

(2) Use of other base flood data. When base flood elevation data has not been provided in accordance with Subsection 8.50.030(b), the Community Development Engineer shall obtain, review and reasonably utilize any base flood elevation and floodway data available from any federal, state or other source. Where base flood elevation data are utilized, all new construction, substantial improvements or other development in Zone A are administered in accordance with Subsections 8.50.040(c)(3) and 8.50.050(b).

(3) Information to be obtained and maintained.

(A) Obtain and record the actual elevation (in relation to mean sea level) of the lowest floor (including basement) of all new or substantially improved structures and whether or not the structure contains a basement.

(B) For all new or substantially improved floodproofed structures:

(i) Verify and record the actual elevation (in relation to mean sea level) to which the structure has been floodproofed.

(ii) Maintain the floodproofing certifications required in Subsection 8.50.040(c)(1).

(C) Maintain for public inspection all records pertaining to the provisions of this Chapter.

(4) Alteration of watercourses.

(A) Notify adjacent communities, the Colorado Water Conservation Board and the Grand Junction office of FEMA prior to any alteration or relocation of a watercourse and submit evidence of such notification to the Federal Emergency Management Agency.

(B) Require that maintenance is provided within the altered or relocated portion of said watercourse so that the flood-carrying capacity is not diminished.

(5) Interpretation of FIRM Boundaries. Make interpretations, where needed, as to the exact location of the boundaries of the areas of special flood hazard (for example, where there appears to be a conflict between a mapped boundary and actual field conditions). The person contesting the location of the boundary shall be given a reasonable opportunity to appeal the interpretation as provided in Subsection 8.50.040(d).

(d) Variance procedure.

(1) Appeal Board.

(A) The Building Code Board of Appeals, as established by the City, shall hear and decide appeals and requests for variances from the requirements of this Chapter.

(B) The Building Code Board of Appeals shall hear and decide appeals when it is alleged there is an error in any requirement, decision or determination made by the Community Development Engineer in the enforcement or administration of this Chapter.

(C) Those aggrieved by the decision of the Building Code Board of Appeals or any taxpayer, may appeal such decisions to the circuit court as provided in the State statute.

(D) In passing upon such applications, the Building Code Board of Appeals shall consider all technical evaluations, all relevant factors, standards specified in other sections of this Chapter and:

- (i) The danger that materials may be swept by floodwaters onto other lands to the injury of others;
- (ii) The danger to life and property due to flooding or erosion damage;
- (iii) The susceptibility of the proposed facility and its contents to flood damage and the effect of such damage on the individual owners;
- (iv) The importance of the services provided by the proposed facility to the community;
- (v) The necessity to the facility of a waterfront location, where applicable;
- (vi) The availability of alternative locations for the proposed use which are not subject to flooding or erosion damage;
- (vii) The compatibility of the proposed use with the existing and anticipated development;
- (viii) The relationship of the proposed use to the comprehensive plan and floodplain management program for that area;
- (ix) The safety of access to the property in times of flood for ordinary and emergency vehicles;
- (x) The expected heights, velocity, duration, rate of rise and sediment transport of the floodwaters and the effects of wave action, if applicable, expected at the site; and
- (xi) The costs of providing governmental services during and after flood conditions, including maintenance and repair of public utilities and facilities such as sewer, gas, electrical and water systems, streets and bridges.

(e) Upon consideration of the factors of Subparagraph 8.50.040(d)(1)(D) and the purposes of this Chapter, the Building Code Board of Appeals may attach such conditions to the granting of variances as it deems necessary to further the purposes of this Chapter.

(f) The Community Development Engineer shall maintain the records of all appeal actions, including technical information and report any variances to the Federal Emergency Management Agency.

(1) Conditions for variances.

(A) Generally, variances may be issued for new construction and substantial improvements to be erected on a lot of one-half ($\frac{1}{2}$) acre or less in size contiguous to and surrounded by lots with existing structures constructed below the base flood level, providing items (i-xi) in Subparagraph 8.50.040(d)(1)(D) have been fully considered. As the lot size increases beyond the one-half ($\frac{1}{2}$) acre, the technical justifications required for issuing the variance increases.

(B) Variances may be issued for the reconstruction, rehabilitation or restoration of structures listed on the National Register of Historic Places or the State Inventory of Historic Places without regard to the procedures set forth in the remainder of this Section.

(C) Variances shall not be issued within any designated floodway if any increase in flood levels during the base flood discharge would result.

(D) Variances shall only be issued upon a determination that the variance is the minimum necessary, considering the flood hazard, to afford relief.

(E) Variances shall only be issued upon:

(i) A showing of good and sufficient cause;

(ii) A determination that failure to grant the variance would result in exceptional hardship to the applicant; and

(iii) A determination that the granting of a variance will not result in increased flood heights, additional threats to public safety, extraordinary public expenses, create nuisances, cause fraud on or victimization of the public as identified in Subparagraph 8.50.040(d)(1)(D) or conflict with existing local laws or ordinances.

(g) Any applicant to whom a variance is granted shall be given written notice that the structure will be permitted to be built with a lowest floor below the base flood elevation and that the cost of flood insurance will be commensurate with the increased risk from the reduced lowest floor elevation. (Ord. No. 9-2002 § 1 [part])

Sec. 8.50.050. Provisions for flood hazard reduction.

(a) General standards. In all areas of special flood hazard, the following standards are required:

(1) Anchoring.

(A) All new construction and substantial improvements shall be anchored to prevent flotation, collapse or lateral movement of the structure and capable of resisting the hydrostatic and hydrodynamic loads.

(B) All manufactured homes must be elevated and anchored to resist flotation, collapse or lateral movement and capable of resisting the hydrostatic and hydrodynamic loads. Methods of anchoring may include, but are not limited to use of over-the-top or frame ties to ground anchors. This requirement is in addition to applicable State and local anchoring requirements for resisting wind forces. Specific requirements may be:

(i) Over-the-top ties be provided at each of the four corners of the manufactured home, with two additional ties per side at intermediate locations, with manufactured homes less than fifty (50) feet long requiring one additional tie per side.

(ii) Frame ties be provided at each corner of the home with five (5) additional ties per side at intermediate points, with manufactured homes less than fifty (50) feet long requiring four (4) additional ties per side;

(iii) All components of the anchoring system be capable of carrying a force of four thousand eight hundred (4,800) pounds; and

(iv) Any additions to the manufactured home be similarly anchored.

(2) Construction materials and methods.

(A) All new construction and substantial improvements shall be constructed with materials and utility equipment resistant to flood damage.

(B) All new construction and substantial improvements shall be constructed using methods and practices that minimize flood damage.

(C) All new construction and substantial improvements shall be constructed with electrical, heating, ventilation, plumbing and air conditioning equipment and other service facilities that are designed and/or located so as to prevent water from entering or accumulating within the components during conditions of flooding.

(3) Utilities.

(A) All new replacement water supply systems shall be designed to minimize or eliminate infiltration of floodwaters into the system;

(B) New and replacement sanitary sewage systems shall be designed to minimize or eliminate infiltration of flood waters into the systems and discharge from the systems into floodwaters; and

(C) On-site waste disposal systems shall be located to avoid impairment to them or contamination from them during flooding.

(4) Subdivision proposals.

(A) All subdivision proposals shall be consistent with the need to minimize flood damage;

(B) All subdivision proposals shall have public utilities and facilities such as sewer, gas, electrical and water systems located and constructed to minimize flood damage;

(C) All subdivision proposals shall have adequate drainage provided to reduce exposure to flood damage; and

(D) Base flood elevation data shall be provided for subdivision proposals and other proposed development which contain at least fifty (50) lots or five (5) acres (whichever is less).

(b) Specific standards. In all areas of special flood hazard where base flood elevation data has been provided as set forth in Subsection 8.50.030(b) or Paragraph 8.50.040(c)(2), the following provisions are required:

(1) Residential construction. New construction and substantial improvement of any residential structure shall have the lowest floor (including basement) elevated to or above the base flood elevation.

(2) Nonresidential construction. New construction and substantial improvement of any commercial, industrial or other nonresidential structure shall either have the lowest floor (including basement) elevated to the level of the base flood elevation; or, together with attendant utility and sanitary facilities, shall:

(A) Be floodproofed so that below the base flood elevation the structure is watertight with walls substantially impermeable to the passage of water;

(B) Have structural components capable of resisting hydrostatic and hydrodynamic loads and effects of buoyancy; and

(C) Be certified by a registered professional engineer or architect that the design and methods of construction are in accordance with accepted standards of practice for meeting the provisions of this paragraph. Such certifications shall be provided to the official as set forth in Subparagraph 8.50.040(c)(2).

(3) Openings in enclosures below the lowest floor. For all new construction and substantial improvements, fully enclosed areas below the lowest floor that are subject to flooding shall be designed to automatically equalize hydrostatic flood forces on exterior walls by allowing for the entry and exit of floodwaters. Designs for meeting this requirement must either be certified by a registered professional engineer or architect or must meet or exceed the following minimum criteria:

(A) A minimum of two (2) openings having a total net area of not less than one (1) square inch for every square foot of enclosed area subject to flooding shall be provided;

(B) The bottom of all openings shall be no higher than one (1) foot above grade;

(C) Openings may be equipped with screens, louvers or other coverings or devices provided that they permit the automatic entry and exit of floodwaters.

(4) Below-grade residential crawlspace construction. New construction and substantial improvement of any below-grade crawlspace shall:

(A) Have the interior grade elevation, that is below base flood elevation, no lower than two (2) feet below the lowest adjacent grade;

(B) Have the height of the below grade crawlspace measured from the interior grade of the crawlspace to the top of the foundation wall, not exceed four feet at any point;

(C) Have an adequate drainage system that allows floodwaters to drain from the interior area of the crawlspace following a flood;

(D) Meet the provisions of Paragraphs 8.50.050(a)(1), 8.50.050(a)(2) and 8.50.050(a)(3).

(5) Manufactured homes.

(A) Manufactured homes shall be anchored in accordance with Subparagraph 8.50.050(a)(1)(A).

(B) All manufactured homes or those to be substantially improved shall conform to the following requirements:

(i) Require that manufactured homes that are placed or substantially improved on a site (a) outside of a manufactured home park or subdivision (b) in a new manufactured home park or subdivision (c) in an expansion to an existing manufactured home park or subdivision or (d) in an existing manufactured home park or subdivision on which a manufactured home has incurred "substantial damage" as a result of a flood, be elevated on a permanent foundation such that the lowest floor of the manufactured home is elevated to or above the base flood elevation and be securely anchored to an adequately anchored foundation system to resist flotation, collapse and lateral movement.

(ii) Require that manufactured homes be placed or substantially improved on sites in existing manufactured home parks or subdivisions that are not subject to the provisions in (a) above be elevated so that either (a) the lowest floor of the manufactured home is at or above the base flood elevation or (b) the manufactured home chassis is supported by reinforced piers

or other foundation elements that are no less than thirty-six (36) inches in height above grade and be securely anchored to an adequately anchored foundation system to resist flotation, collapse and lateral movement.

(6) Recreational vehicles. Recreation vehicles are prohibited per Section 16.04.080 of this Code.

(c) Floodways. Located within areas of special flood hazard established in Subsection 8.50.030(b) are areas designated as floodways. Since the floodway is an extremely hazardous area due to the velocity of floodwaters which carry debris, potential projectiles and erosion potential, the following provisions apply:

(1) Prohibit encroachments, including fill, new construction, substantial improvements and other development unless certification by a registered professional engineer or architect is provided demonstrating that encroachments shall not result in any increase in flood levels during the occurrence of the base flood discharge.

(2) If Paragraph 8.50.050(c)(1) is satisfied, all new construction and substantial improvements shall comply with all applicable flood hazard reduction provisions of Section 8.50.050. (Ord. No. 9-2002, §1 [part])

Chapter 8.52

BUILDING CONSERVATION CODE

Sec. 8.52.010. Adoption of the 1997 Edition of the Uniform Code for Building Conservation.

Pursuant to the powers and authority conferred by the laws of the State and the Charter of the City, there is hereby adopted and incorporated herein by reference as if fully set forth those regulations contained in the Uniform Code for Building Conservation, 1997 Edition, published by the International Conference of Building Officials, 5390 South Workman Mill Road, Whittier, California 90601, except as otherwise provided by amendment or deletion as contained in Section 8.52.020 of this Chapter. At least one (1) copy of the Uniform Code for Building Conservation shall be available for inspection during regular business hours. (Ord. No. 55-1999 §8 [part])

Sec. 8.52.020. Amendments.

The Uniform Code for Building Conservation, 1997 Edition, as adopted by the City at Section 8.52.010, is hereby amended to provide as follows:

Section 205 "Board of Appeals" is amended to read as follows:

"Appeals from determinations or decisions made by the building official relative to the application and interpretation of this Code shall be processed and heard by the Board of Appeals in accordance with the provisions contained in Chapter 8.08 of this Code. The Board of Appeals shall possess that authority as specified in Chapter 8.08 of the Municipal Code." (Ord. No. 55-1999, §8 [part])

Chapter 8.54

EFFICIENT BUILDING CODE

Sec. 8.54.010. Efficient Building Code.

Deleted by Ordinance #11, 2009, §4; (Ord. No. 9-2003, §1)

Chapter 8.56

CONSTRUCTION MANAGEMENT PLAN

Sec. 8.56.010. Adoption of Construction Management Plan.

Pursuant to the powers and authority conferred by the Charter of the City, there is hereby adopted and incorporated herein by reference as if fully set forth those regulations contained in the Construction Management Plan Requirements Manual, as may be amended from time to time by the City Engineer. At least one (1) copy of the aforementioned Manual shall be available for public inspection at the Community Development Department and Engineering Department. (Ord. No. 23, 2007, §1; Ord. No. 32, 2007, §1)

Sec. 8.56.020. Applicability.

The Construction Management Plan Requirements Manual, as adopted pursuant to Section 8.56.010, shall apply to all construction and development activity within the City; provided, however, that the City Engineer may waive one (1) or more specific provisions of the Construction Management Plan Requirements Manual. Requests for waivers and any waivers granted by the City Engineers shall be in writing. (Ord. No. 23, 2007, §1; Ord. No. 32, 2007, §1)