

7. References

Bredehoeft, J.D. 2006. *On Modeling Philosophies*. Ground Water, Vol. 44 (4), pp. 496-499.

Bryant, B. and P.L. Martin. 1988. *The Geologic Story of the Aspen Region -Mines, Glaciers and Rocks*. Bulletin 1603. U.S. Geological Survey.

CDNR. 2008. *Guide to Colorado Water Rights, Well Permits, and Administration*. Colorado Dept. of Natural Resources, Office of State Engineer.
(<http://www.water.state.co.us/pubs/wellpermitguide.pdf>).

Daly, C. and G.L. Johnson. 1999. *PRISM Spatial Climate Layers; PRISM Guide Book*. PRISM Group, Oregon State University.

Devlin, J.F., and M. Sophocleous. 2005. *The Persistence of the Water Budget Myth and its Relationship to Sustainability*. Hydrogeology Journal, Vol. 13(4), pp. 549-554.

ESRI. 2002. *Getting Started with ArcGISTM*. ESRI, Redlands, California.

Freethy, G.W., and G.E. Gordy. 1991. *Geohydrology of Mesozoic Rocks in the Upper Colorado River Basin in Arizona, Colorado, New Mexico, Utah, and Wyoming, Excluding the San Juan Basin*. Professional Paper 1411-C. U.S. Geological Survey.

Geldon, A.L. 2003a. *Geology of Paleozoic Rocks in the Upper Colorado River Basin in Arizona, Colorado, New Mexico, Utah, and Wyoming, Excluding the San Juan Basin*. Professional Paper 1411-A. U.S. Geological Survey.

Geldon, A.L. 2003b. *Hydrologic Properties and Ground-Water Flow Systems of the Paleozoic Rocks in the Upper Colorado River Basin in Arizona, Colorado, New Mexico, Utah, and Wyoming, Excluding the San Juan Basin*. Professional Paper 1411-B. U.S. Geological Survey.

Harlan, R., K.E. Kolm, and E.D. Gutentag. 1989. *Water Well Design and Construction*. Elsevier Science Publishers, Amsterdam, The Netherlands.

Kirkham, R.M., R.K. Streufert, J.R. Budahn, M.J. Kunk, and W.J. Perry. 2001. *Late Cenozoic Regional Collapse Due to Evaporite Flow and Dissolution in the Carbonate Collapse Center, West-Central Colorado*. Mountain Geologist, Vol. 38, No. 4, pp. 193-210.

Kirkham, R.M., R.K. Streufert, M.J. Kunk, J.R. Budahn, M.R. Hudson, and W.J. Perry. 2002. *Evaporite Tectonism in the Lower Roaring Fork River Valley, West-Central Colorado*. Special The Geological Society of America, Paper 366, pp. 73-100.

Kolm, K.E., and P.K.M. van der Heijde. 2006. *Development of GIS-based Ground Water Resource Evaluation of the Upper and Middle Roaring Fork Valley Area, Pitkin County, Colorado*. Report prepared by HSA and HHI for Pitkin County Commission of County Commissioners.

Kolm, K.E., P.K.M. van der Heijde, and M. Dechesne. 2007. *GIS-based Ground Water Resources Evaluation of the Capitol and Snowmass Creek (CSC) Study Areas, Pitkin County, Colorado*. Report prepared by HSA and HHI for Pitkin County Commission of County Commissioners.

Kolm, K.E., and Langer, W.H. 2001. *Hierarchical Systems Analysis in Karst Terrains: Part A - Approaches and applications to environmental characterization*. U.S. Geological Survey Open File Report 00-429A.

Kolm, K.E., and R.G. Gillson, III. 2004. *State of Ground and Surface Water in the Central Roaring Fork Valley, Pitkin County, Colorado*. Report prepared by HSA for Pitkin County Commission of County Commissioners.

National Research Council (NRC). 1993. *Ground Water Vulnerability Assessment; Predicting relative Contamination Potential under Conditions of Uncertainty*. National Academy Press, Washington, D.C.

Natural Resources Conservation Service (NRCS). 2005. *County-wide Annual Precipitation Data Computed with the PRISM (Parameter elevation Regression on Independent Slopes Model) Utilizing a Rule-based Combination of Point Measurements and a Digital Elevation Model (DEM)*. USDA-NRCS Data Gateway at <http://datagateway.nrcs.usda.gov/GatewayHome.html>.

Olander, H.C., N.B. Lamm, and B.A. Florquist. 1974. *Roaring Fork and Crystal Valleys - An Environmental and Engineering Geology Study, Eagle, Garfield, Gunnison and Pitkin Counties, Colorado*. Environmental Geology No. 8. Colorado Geological Survey, Denver, Colorado.

Sophocleous, M. (ed.). 1998. *Perspectives on Sustainable Development of Water Resources in Kansas*. Kansas Geological Survey, Bulletin 239.

Stenzel, D. 2006. *Wells: The Final Frontier*. Colorado Water Newsletter, December 2006, pp. 9-11. (Presented at 17th Annual South Platte Forum).

Streufert, R.K. 1999. *Geologic Map of the Mount Sopris Quadrangle, Garfield and Pitkin Counties, Colorado*. OFR 99-7. Colorado Geological Survey, Denver, Colorado.

Streufert, R.K., B.L. Widman, and R.M. Kirkham. 1998. *Geologic Map of the Basalt Quadrangle, Eagle, Garfield and Pitkin Counties, Colorado*. OFR 98-1. Colorado Geological Survey, Denver, Colorado.

Topper, R., K.L. Spray, W.H. Bellis, J.L. Hamilton, P.E. Barkmann, 2003. *Ground Water Atlas of Colorado*. Colorado Geological Survey, Special Publication 53.

Tweto, O., R.H. Moench, and J.C. Reed, Jr., 1978. *Geologic Map of the Leadville 1° x 2° Quadrangle*. Misc Investig. Series Map I-999, U.S. Geological Survey.

Van der Heijde, P.K.M., K.E. Kolm, H. Dawson, and M. Brooke. 1997. *Determining Water Infiltration Routes from Structures Located above Carlsbad Cavern, Carlsbad Caverns National Park, Carlsbad, New Mexico*. Report submitted to National Park Service, Fort Collins, Colorado.

Whiet, J.L. 2002. *Collapsible Soils and Evaporite Karst Hazards of the Roaring Fork River Corridor, Garfield and Pitkin Counties, Colorado*. Map MS-34, Colorado Geological Survey.

Appendix 1

Climate Data for Basalt and Redstone Stations, Colorado (source: Western Regional Climate Center, Desert Research Institute, Reno, Nevada)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Average Max. Temperature (F)	37.7	42.6	50.5	59.2	69.9	78.5	86.6	83.8	75.1	63.0	49.4	36.9	61.1
Average Min. Temperature (F)	7.4	12.2	19.7	25.6	34.4	40.0	46.9	45.4	36.4	25.8	18.7	10.0	26.9
Average (Mean) Temperature (F)	22.4	27.8	35.1	42.5	52.1	59.3	66.7	64.6	55.8	44.4	34.0	23.4	44.0
Average Total Precipitation (in.)	0.84	0.79	0.58	1.35	1.02	1.73	1.14	1.99	1.96	1.57	0.80	1.32	15.10
Average Total Snow Fall (in.)	15.2	12.0	6.3	3.4	0.0	0.0	0.0	0.0	0.6	5.2	5.7	17.9	66.3
Average Snow Depth (in.)	7	3	1	0	0	0	0	0	0	0	0	4	1

**Table A.1.1. Monthly Climate Summary for Basalt, Colorado [station 050514]
for period 7/1/1965 to 5/31/1972.**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Average Max. Temperature (F)	38.0	43.8	53.4	61.2	68.8	81.2	86.7	85.0	75.2	66.3	45.0	32.9	61.6
Average Min. Temperature (F)	11.8	16.0	23.4	30.7	35.5	43.9	48.9	46.4	36.3	30.3	17.7	8.7	29.2
Average Total Precipitation (in.)	0.88	0.94	0.77	1.15	0.96	0.59	0.46	1.64	1.80	1.04	1.32	2.00	13.54

**Table A.1.2. Monthly Climate Summary for Basalt, Colorado [station 050514]
for period 1/1/1971 to 12/31/2000.**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Average Max. Temperature (F)	33.1	36.2	42.7	51.1	60.5	71.8	76.4	74.6	67.0	55.3	39.2	31.5	53.3
Average Min. Temperature (F)	7.7	11.5	17.3	24.5	31.9	39.4	44.2	43.8	36.7	38.0	17.5	9.0	26.0
Average (Mean) Temperature (F)	20.5	23.9	30.0	37.8	46.2	55.6	60.3	59.2	51.8	41.7	28.3	20.2	39.6
Average Total Precipitation (in.)	1.78	2.41	3.09	2.04	2.30	1.48	2.23	1.67	2.98	3.02	2.64	2.03	27.66
Average Total Snow Fall (in.)	26.0	29.9	32.4	12.1	5.3	0.5	0.0	0.0	0.5	6.9	26.4	29.5	169.4
Average Snow Depth (in.)	21	16	5	1	0	0	0	0	0	0	3	11	5

Table A.1.3. Monthly Climate Summary for Redstone, Colorado [station 056970] for period 6/1/1979 to 6/30/1994.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
Average Max. Temperature (F)	32.7	36.9	43.0	31.1	60.5	71.9	76.5	74.4	66.9	55.4	39.2	32.3	53.5
Average Min. Temperature (F)	7.7	11.8	17.5	24.3	32.0	39.2	44.2	43.4	36.6	27.9	17.1	9.5	26.0
Average Total Precipitation (in.)	1.96	2.68	2.89	2.16	2.44	1.51	1.94	1.99	3.00	3.15	2.77	2.25	28.72

Table A.1.4. Monthly Climate Summary for Redstone, Colorado [station 056970] for period 1/1/1971 to 12/31/2000.

Appendix A2

Data Fields of the Colorado Division of Water Resources Wells Database.

<http://www.water.state.co.us/pubs/welldata.asp>).

Field Header	Definition
receipt	The receipt number is the number assigned when the fee is paid. The entire receipt number is eight numeric characters followed by one alphabetic character (if required).
div (Division)	Numeric identifier for Water Division (1-8) in which the well is located.
cty (County)	Numeric identifier for Colorado counties (1-63) in which the well is located:

COLORADO COUNTIES NUMERICAL CODE:

ADAMS.....	01	LAKE.....	33
ALAMOSA.....	02	LA PLATA.....	34
ARAPAHOE.....	03	LARIMER.....	35
ARCHULETA.....	04	LAS ANIMAS.....	36
BACA.....	05	LINCOLN.....	37
BENT.....	06	LOGAN.....	38
BOULDER.....	07	MESA.....	39
CHAFFEE.....	08	MINERAL.....	40
CHEYENNE.....	09	MOFFAT.....	41
CLEAR CREEK.....	10	MONTEZUMA.....	42
CONEJOS.....	11	MONTROSE.....	43
COSTILLA.....	12	MORGAN.....	44
CROWLEY.....	13	OTERO.....	45
CUSTER.....	14	OURAY.....	46
DELTA.....	15	PARK.....	47
DENVER.....	16	PHILLIPS.....	48
DOLORES.....	17	PITKIN.....	49
DOUGLAS.....	18	PROWERS.....	50
EAGLE.....	19	PUEBLO.....	51
ELBERT.....	20	RIO BLANCO.....	52
EL PASO.....	21	RIO GRANDE.....	53
FREMONT.....	22	ROUTT.....	54
GARFIELD.....	23	SAGUACHE.....	55
GILPIN.....	24	SAN JUAN.....	56
GRAND.....	25	SAN MIGUEL.....	57
GUNNISON.....	26	SEDGWICK.....	58
HINSDALE.....	27	SUMMIT.....	59
HUERFANO.....	28	TELLER.....	60
JACKSON.....	29	WASHINGTON.....	61
JEFFERSON.....	30	WELD.....	62
KIOWA.....	31	YUMA.....	63
KIT CARSON.....	32		

permitno (Permit Number)	The well permit number (numeric).
permitsuf (Permit Suffix)	A character field for the well suffix code that follows the permit number.
Permitrpl	Identifier indicating a well's replacement.

actdate Date well permit application received.

actcode The activity code states status of permit application file:

<i>Code</i>	<i>Description</i>
AP =	New application received.
AD =	Application denied. Denial number entered in permit number field and date entered in permit issued date field.
AW =	Application for a permit is withdrawn. Code and date also entered to status code and date fields.
AV =	Verbal approval granted to well construction contractor to construct a well without a permit in place (emergency only).
CA =	Canceled well permit. Code and date also entered to status code and date fields.
CD =	Change description of acres irrigated (designated basins). Entered to status and date fields of existing record upon receipt of application.
CO =	Application to commingle wells (designated basins). Entered to status and date fields of existing record upon receipt of application.
CP =	Amended household use permit to allow watering of user's noncommercial domestic animals.
EX =	Well permit expiration date extended.
MH =	Monitoring hole notice of construction. MH file number and date entered in permit number and permit date fields.
NP =	Well permit issued. Permit number and issue date entered in permit number and permit date fields.
TH =	Test hole notice. Replaced by MH notice in 1988.
TW =	Test well. Replaced by MH notice in 1988.

wd A character field which indicates the Water District in which the well is located (1-80). Defined as a basin on minor drainage within the Water Division.

basin When applicable, a character field indicating the Designated Groundwater Basin Number (1-8):

DESIGNATED BASINS

NORTHERN HIGH PLAINS	01
KIOWA-BIJOU	02
SOUTHERN HIGH PLAINS	03
UPPER BLACK SQUIRREL CREEK	04
LOST CREEK	05
CAMP CREEK	06
UPPER BIG SANDY	07
UPPER CROW CREEK	08

md A character field indicating the Designated Groundwater Basin Management District Number (1-13):

MANAGEMENT DISTRICTS (BASINS)

PLAINS	01
SAND HILLS	02
ARIKAREE	03
FRENCHMAN	04
CENTRAL YUMA	05
W - Y	06
NORTH KIOWA-BIJOU	07
EASTERN CHEYENNE	08
LOST CREEK	09
SOUTHERN HIGH PLAINS	10
MARKS BUTTE	11
UPPER BLACK SQUIRREL	12
UPPER BIG SANDY	13

full name	Applicant name (character field).
address1	A character field for the street portion of the primary mailing address of the permit holder.
address2	A character field for the street portion of a secondary mailing address, if submitted.
city	A character field for the City of the primary mailing address.
state	A character field for the State of the primary mailing address
zip1	A character field for the primary zip code.
zip2	A character field for a secondary zip code, if provided.
phone_number	A character field for Applicant's phone number.
pm	Principal Meridian in which well is located (S = Sixth, N = New Mexico, U = Ute, C = Costilla, B = Baca).
rng (Range)	Numeric field for the Range in which well is located.
Rnga	Identifies half ranges ("H")
Rdir	Identifies direction (E, W)
ts (Township)	Numeric field for Township in which well is located.
Tsa	Identifies half ranges ("H")
Tdir	Identifies direction (N, S)
sec (Section)	Numeric field for Section in which well is located (1-36).
Seca	Reserved for locations containing a U in the section number.
QTR160	Character field for quarter section (160 acre quarter) in which well is located.
QTR40	Character field for the quarter-quarter section (40 acre quarter of 160 acre quarter) in which well is located.
QTR10	Character field for the quarter-quarter section (10 acre quarter of 40 acre quarter) in which well is located.
coordsns	Distance (feet) from the north or south section line to the well location.
coordsns_dir	Identifies which section line (N,S) from which distance is measured.
coordsew	Distance (feet) from the east or west section line to the well location.

coordsew_dir

Identifies which section line (E,W) from which distance is measured.

AQUIFER1

Aquifer in which well is located.

AQUIFER CODES:

GW	ALL UNNAMED AQUIFERS	
KA	ARAPAHOE	
UKA	UPPER ARAPAHOE	
LKA	LOWER ARAPAHOE	
JMB	BRUSHY BASIN	
KDB	BURRO CANYON	
KCH	CHEYENNE	
CON	CONFINED	SAN LUIS VALLEY
KD	DAKOTA	
TDW	DAWSON	
UTDW	UPPER DAWSON	
LTDW	LOWER DAWSON	
TKD	DENVER	
JE	ENTRADA	
TG	GREEN RIVER	
PH	HERMOSA	
KI	ILES	
KL	LARAMIE	
KLF	LARAMIE FOX HILLS	
ML	LEADVILLE LIMESTONE	
KM	MANCOS	
KMV	MESA VERDE GROUP	
JM	MORRISON	
TO	OGALLALA	
KP	PIERRE SHALE	
KPU	PURGATOIRE	
JMS	SALT WASH	
UNC	UNCONFINED	SAN LUIS VALLEY
TW	WASATCH	
TW	WHITE RIVER	
KW	WILLIAMS FORK	

AQUIFER2

name of second aquifer if well is known to be multiply completed.

subdiv_name

Subdivision name.

lot

Lot number in subdivision.

block

Block number in subdivision.

filing

Filing number.

engineer

Engineer who approved permit.

well_name

Owners's well designation number or name.

Use1 & Use2

Codes for well Uses:

Data Code	Use Description
1	Crop Irrigation
2	Municipal
3	COMMERCIAL
4	INDUSTRIAL
5	RECREATION
6	FISHERY
7	FIRE
8	DOMESTIC
9	LIVESTOCK
G	GEOTHERMAL
H	HOUSEHOLD USE ONLY
K	SNOWMAKING
O	OTHER
O	MONITORING HOLE/WELL
R	RECHARGE
E	EXCHANGE AND AUGMENTATION
Q	=O (Other, or Monitoring Hole/Well)

Use3

CODE	TYPE
A	AUGMENTATION. All wells in augmentation plans are coded with an "A" in the last position. First position is the actual use of the well.
M	MONITORING WELL (PERMITTED). The first position is "O" followed by "M" in the last position.
Z	HOUSEHOLD USE WELLS ISSUED PRIOR TO HB1111 THAT HAVE BEEN AMENDED PURSUANT TO (3)(b)(II)(b) BY \$25.00 APPLICATION. First position code is "H" followed by "Z" in the last position.
L	PERMIT ISSUED UNDER PRESUMPTION (3)(b)(II)(A) FOR DOMESTIC/LIVESTOCK USES AS THE ONLY WELL ON 35 ACRES. First position is either "8" domestic or "9" livestock", or both 1st and 2nd followed by "L" in the last position. PERMITS ISSUED UNDER (3)(b)(I) WHERE WATER IS AVAILABLE ARE CODED FIRST POSITIONS AS NECESSARY WITH THE ACTUAL USE. HB1111 does not apply to these wells.
G	GRAVEL PIT WELL PERMIT. This application (PERMIT) is coded as "O" in the first position with "G" in the last position.
C	CLOSED LOOP GEOTHERMAL WELL. First position is codes as "G" for geothermal. Last position is "C".
P	GEOTHERMAL PRODUCTION WELL. First position is coded "G" for geothermal. Last position is "P".
S	OTHER TYPES OF HOLES CONSTRUCTED-ESPECIALLY FOR CATHODIC PROTECTION. IDENTIFIES THAT THE PERMIT WAS ISSUED PURSUANT TO SENATE BILL 5 (137 (4). First positions are for the actual use(s) of the well.

driller_lic

Water well contractor's license number.

pump_lic

Pump installation contractor's license number.

pidate

Date the pump installation report is received by DWR.

statute

Statute under which the permit was issued using the last four numbers of chapter and paragraph, i.e. 37-92-602(3)..602(3). (see www.intellinetusa.com/statmgr.htm)

statcode

Interim status of the application or permit:

Code Desc
AB = Abandoned well.
AR = Date application for permit resubmitted to DWR.
AU = Date application returned to applicant for correction or additional information.
EP = Expired well permit.
NS = Exempt wells where no statement of use is required (no longer used).
PI = Pump Installation Report received (no longer used).
PU = Pump Installation Report returned to responsible party for correction.
RC = Record change. A portion of the file was modified.
SA = Statement of beneficial use accepted (no longer used in statute code).
SP = Statement of beneficial use received (no longer used in statute code).
SR = Statement of beneficial use resubmitted to DWR.
SU = Statement of beneficial use returned to owner for correction.
WA = Well construction report received (no longer used).
WU = Well construction report returned to responsible party for correction.
WR = Well construction report resubmitted to DWR.
ZZ = Transaction code indicates a portion of the file was updated with general review and update of records.

statdate

Date of the above status code action.

npdate

Date the permit, denial (AD) or monitoring hole was issued.

wadate

Date the Well Construction and Test Report was received in DWR.

trancode

Activity or status code. Last action updated.

trandate

Computer machine date of last update to the record.

sadate

Date of first beneficial use.

sbudate

Date statement of use received.

exdate

Expiration date of well permit.

abrdate

Date abandonment report received.

abcodate

Date well plugged and abandoned.

abreq

Flag if the well requires plugging and sealing upon construction of new well

acreft

Annual appropriation in acre feet.

tperf

Depth to top of first perforated casing.

bperf

Depth to base of last perforated casing.

case_no

Water court case number.

yield

Yield in gallons per minute.

depth

Total depth of well.

level

Depth to static water level.

elev	Ground surface elevation.
area_irr	Acres irrigated.
lrr_meas	Acre irrigated units
comment	Comment field
meter	Totalizing flow meter reqd., installed.
wellxno	Cross reference to another well or record.
Wellxsuf	Cross reference character field for well suffix code (follows the permit number).
Wellxrpl	Cross reference identifier indicates well replacement.
Nwccdate	Notice of Well Construction Report received (Statewide nontributary rules).
Nbudate	Notice of Commencement of Beneficial Use received (Statewide nontributary rules).
wccdate	Date well construction completed.
pcdate	Date pump installation completed
log	Flag to indicate if a geophysical is required and received.
qual	Water quality information available, y or n.
user1	Initials of last staff member to update file.
pyield	Proposed yield of well in gpm.
pdepth	Proposed depth of well.
pacreft	Proposed annual appropriation.
well_type	Calculated value to determine if record is exempt, non exempt or geothermal.
valid_permit	Calculated value to determine if a well permit is valid. (must be verified)
parcel_no	Parcel identifier
parcel_size	Parcel size in acres. Number of acres on well site.
noticedate	Notice sent to owner indicating permit about to expire. (Not yet used)
utm_x	A numeric field for the UTM-X coordinate. Note some UTM values are calculated from legal description. All UTM values are Zone 13 based on NAD 27 and Clark 1866 projections.

utm_x	A numeric field for the UTM-X coordinate. Note some UTM values are calculated from legal description. All UTM values are Zone 13 based on NAD 27 and Clark 1866 projections.
utm_y	A numeric field for the UTM-X coordinate. Note some UTM values are calculated from legal description. All UTM values are Zone 13 based on NAD 27 and Clark 1866 projections.
loc_source	Identifies source of UTM coordinates. If blank, the applicant provided the coordinates otherwise the version of the program used to determine the coordinates is given.

Appendix 3.

Update Procedures for GIS Databases.

The GIS map for use with the ground water resources assessment procedure links to five groups of databases: 1) CDSS (Colorado Decision Support System) irrigated acreage databases; 2) HSA_PCGIS hydrogeological databases prepared by HSA/HHI; 3) NRCS (Natural resources Conservation Service) precipitation database; 4) Pitkin County GIS geographic and hydrological databases; and 5) the DWRSC (Colorado Division of Water Resources) wells database.

The CDSS databases contain the irrigated acreage information and may occasionally be updated when new surveys of irrigated acreage become available. CDSS database information can be found at: <http://165.127.23.116/website/cdss/> or the CDSS website at: <http://cdss.state.co.us/DNN/default.aspx>.

The HSA_PCGIS hydrogeological databases are "as-is" and are not expected to be updated on a regular basis. For more information contact: pvdh@heath-hydrology.com.

Information regarding the NRCS precipitation database can be found at the NRCS Data Gateway: <http://datagateway.nrcs.usda.gov/GatewayHome.html>.

For information regarding the Pitkin County GIS databases contact the City of Aspen/Pitkin County GIS Department at: gis@ci.aspen.co.us.

The CDWR wells database is updated on a quarterly basis. See: <http://water.state.co.us/pubs/welldata.asp>. To update the GIS well database included with this report use the following procedure:

- Step 1. Obtain the latest edition of the quarterly updated state well database from the Colorado Division of Water Resources for Pitkin County (county code 49).
- Step 2. Delete the old 'well.dbf' file from the 'Wells_DWRSC_Pitkin' subdirectory of the CRC ground water GIS file set and copy the 'well.dbf' file from the CDWR-provided disk to the 'Wells_DWRSC_Pitkin' subdirectory. Make sure that the name in the target directory is 'well.dbf'.
- Step 3. Modify the reference in the CWCB well layers in the GIS Table of Contents to reflect the date of the new well data.

Note: Some wells, identified in the CDWS well database with the Pitkin County code 49, lie outside the county boundary. This is caused by either incorrect coordinates in the database, or that no coordinates were provided to the state. In the latter case, UTM coordinates are shown as zero's. In the CSC GIS map, this latter issue is addressed by automatically excluding these zero-value coordinates using the *Definition Query* function of the wells' *Layer Properties* windows.

Appendix 4

Stepwise Approach to Assessing Ground Water Availability, Sustainability, and Vulnerability in the Crystal River and West Sopris/Sopris Creek Study Area, Pitkin County, Colorado.

It should be noted that due to limitations in data availability and quality, this analysis is primarily qualitative in nature. It does not replace due diligence.

Steps 1 – 2 prompt the user to initiate the GIS and locate the site being evaluated.

Step 1. Start ARCMAP™ (ESRI®, Redlands, California) and load the CSC GIS map [file: *PitkinCounty_GWGIS_CSC.mxd*].

Step 2. Determine the precise location or platting of the selected site. This site should be plotted on the GIS map using the appropriate layers in the GIS (e.g., using site coordinates or location information on streams, roads, parcels, etc.).

Steps 3 – 6 allow the user to determine the potential availability of ground water for water supply at the site by identifying the areas covered by hydrogeologic formations that may be an aquifer (either unconsolidated surficial materials or bedrock) and evaluating the presence or absence of ground water in these formations.

Step 3. Determine the potential unconfined surficial aquifer material at the site.

Step 4. Determine potential unconfined and confined bedrock aquifer material at site.

Step 5. Determine if the potential alluvial/colluvial aquifer is connected/not connected with a bedrock aquifer. This step determines if the alluvial/colluvial aquifer is sustained by a bedrock aquifer, or sustained solely by surface processes, such as a nearby river.

Step 6. Determine if the alluvial/colluvial material is saturated or unsaturated. This step shows the availability of ground water for the site. Identify one or more relevant nearby wells based on distance to site of interest and comparable hydrogeology and combine with layers identified as relevant in steps 3 through 5. Using the accompanying attribute table for the drilled well layer, well depth, depth to static water level at time of drilling, well production (gal per minute yield), and time of year of drilling can be found and a judgement be made with respect to pre-development saturated thickness. This step could be used to quantitatively determine the amount of ground water available, but requires professional judgment using standard practices.

Steps 7 – 10 allow the user to determine the potential sustainability and vulnerability of ground water for use as a water supply for the site.

Step 7. Determine amount of direct infiltration of precipitation into the alluvial/colluvial aquifer or the bedrock aquifer. This step is performed to determine recharge to the aquifer from precipitation. To assess the recharge potential from precipitation in the vicinity of the site, a

precipitation layer is included in the GIS map. Calculation of actual recharge amounts (a fraction of precipitation) requires professional judgment using standard practices.

Step 8. Determine if the alluvial/colluvial aquifer is connected/not connected with a perennial stream. This step is performed to determine recharge to the aquifer from any nearby surface water system. The attribute table of Pitkin County's waterline layer contains, among others, a field in the attribute table indicating intermittent stream flow (ephemeral stream) or continuous stream flow (perennial stream). By combining hydrogeologic information from the alluvial aquifer layer, or the information resulting from steps 3-6, with the county's streams layer, the existence of a hydraulic connection can be established. Calculation of actual recharge amounts and effect of new well on stream requires professional judgment using standard practices.

Step 9. Determine if the saturated alluvial/colluvial aquifer is connected with an irrigation ditch or subject to return flow of irrigation water. This step is performed to determine recharge to the aquifer from irrigation practices, which may not sustain a ground water supply if water uses and water rights ownership change. In order to establish if the saturated portion of the potential aquifer of interest is connected with an irrigation ditch, hydrogeologic information from the alluvial aquifer layer, or the information resulting from steps 3-6, is combined with the county's ditches layer. The potential effect of the return flow of irrigated acreage on recharge can be evaluated by plotting the site of interest on the 2000 or 1993 irrigated acreage layer. Calculation of actual recharge amounts requires professional judgment using standard practices.

Step 10. Determine the vulnerability of ground water supplies to contamination from the surface for the site. Natural protection from overlying confining units, such as the Mancos Shale, is important for maintaining natural water quality. However, all ground water in the area with unconsolidated sediments, and bedrock aquifer outcrops is vulnerable; natural protection is only available in areas with confining layers overlying bedrock aquifers. Calculation of actual risk (both qualitatively and quantitatively) requires professional judgment using standard practices.